Sigma-Aldrich.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Version 8.0 Revision Date 06.06.2023 Print Date 13.07.2024 GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifiers Product name	:	Ammonium molybdate tetrahydrate	
	Product Number	:	431346	
	Brand	:	SIGALD	
	REACH No.	:	01-2119498057-28-XXXX	
	CAS-No.	:	12054-85-2	
1.2				
	Identified uses		Laboratory chemicals, Manufacture of substances	
1.3	Details of the supplier of the safety data sheet			
	Company	:		
1.4	Emergency telephone Emergency Phone #	:	+(44)-870-8200418 (CHEMTREC (GB))	

Emergency Phone #	:	+(44)-870-8200418 (CHEMTREC (GB)) +(353)-19014670 (CHEMTREC Ireland) 001-803-017-9114 (CHEMTREC India)
-------------------	---	--

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

2.2 Label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SIGALD- 431346

Page 1 of 11

The life science business of Merck operates as MilliporeSigma in the US and Canada



SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms	: Molybdic acidammonium salttetrahydrate
	Ammonium heptamolybdatetetrahydrate

Formula	:	$H_{24}Mo_7N_6O_{24} \cdot 4H_2O$
Molecular weight	:	1,235.86 g/mol
CAS-No.	:	12054-85-2
EC-No.	:	234-320-9

No components need to be disclosed according to the applicable regulations.

SECTION 4: First aid measures

4.1 Description of first-aid measures

If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NOx) Molybdenum oxides Not combustible. Ambient fire may liberate hazardous vapours.

SIGALD- 431346

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 2 of 11



5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Advice for non-emergency personnel: Avoid inhalation of dusts. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
- **6.2 Environmental precautions** Do not let product enter drains.
- **6.3 Methods and materials for containment and cleaning up** Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.
- **6.4** Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions Tightly closed. Dry.

Storage class Storage class (TRGS 510): 13: Non Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

SIGALD- 431346

Page 3 of 11

The life science business of Merck operates as MilliporeSigma in the US and Canada



Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

Respiratory protection

required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Recommended Filter type: Filter type P2

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties

	•	
a)	Physical state	crystalline
b)	Color	white
c)	Odor	odorless
d)	Melting point/freezing point	Melting point: 400 °C
e)	Initial boiling point and boiling range	No data available
f)	Flammability (solid,	The product is not flammable.

SIGALD- 431346

gas)

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 4 of 11



g)	Upper/lower flammability or explosive limits	No data available
h)	Flash point	Not applicable
i)	Autoignition temperature	No data available
j)	Decomposition temperature	190 °C
k)	рН	No data available
I)	Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
m)	Water solubility	206.5 g/l at 20 °C - OECD Test Guideline 105- completely soluble
n)	Partition coefficient: n-octanol/water	Not applicable for inorganic substances
o)	Vapor pressure	No data available
p)	Density	2.498 g/mL at 25 °C
	Relative density	No data available
q)	Relative vapor density	No data available
r)	Particle characteristics	No data available

- s) Explosive properties No data available
- t) Oxidizing properties none
- 9.2 Other safety information No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Generates dangerous gases or fumes in contact with: Strong acids

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

No data available

SIGALD- 431346

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 5 of 11



10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - > 2,000 mg/kg (OECD Test Guideline 420) Remarks: (in analogy to similar compounds) LC50 Inhalation - Rat - male and female - 4 h - > 5.05 mg/l - dust/mist

(OECD Test Guideline 403)

Remarks: The value is given in analogy to the following substances: Molybdenum dioxide LD50 Dermal - Rat - male and female - > 2,000 mg/kg (OECD Test Guideline 402) Remarks: The value is given in analogy to the following substances: disodium molybdate

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 4 h (OECD Test Guideline 404) Remarks: The value is given in analogy to the following substances: Molybdenum dioxide

Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation (OECD Test Guideline 405) Remarks: The value is given in analogy to the following substances: Molybdenum dioxide

Respiratory or skin sensitization

Maximization Test - Guinea pig Result: negative (OECD Test Guideline 406) Remarks: The value is given in analogy to the following substances: molybdenum(VI) oxide

Germ cell mutagenicity

Test Type: Micronucleus test Test system: Human lymphocytes Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 487 Result: negative Remarks: The value is given in analogy to the following substances: Disodium molybdate dihydrateTest Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Remarks: The value is given in analogy to the following substances: Disodium molybdate dihydrateTest Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Metabolic activation: with and without metabolic activation

SIGALD- 431346

The life science business of Merck operates as MilliporeSigma in the US and Canada

A

Page 6 of 11

Method: OECD Test Guideline 476 Result: negative Remarks: The value is given in analogy to the following substances: Disodium molybdate dihydrateTest Type: Ames test Test system: Salmonella typhimurium Method: OECD Test Guideline 471 Result: negative Remarks: The value is given in analogy to the following substances: Disodium molybdate dihydrate Test Type: Micronucleus test Species: Rat Cell type: Red blood cells (erythrocytes) Application Route: Oral Method: OECD Test Guideline 474 Result: negative Remarks: The value is given in analogy to the following substances: disodium molybdateThe value is given in analogy to the following substances: Disodium molybdate dihydrate

Carcinogenicity

No data available

Reproductive toxicity No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

11.2 Additional Information

Endocrine disrupting properties

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Repeated dose toxicity - Rat - male and female - Oral - 92 Days - NOAEL (No observed adverse effect level) - 17 mg/kg

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: Disodium molybdate dihydrate

RTECS: QA5076000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SIGALD- 431346

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 7 of 11

Hazardous properties cannot be excluded but are unlikely when the product is handled appropriately.

The following applies to ammonium salts in general: after swallowing: local irritation symptoms, nausea, vomiting, diarrhoea. Systemic effect: after the uptake of very large gantities: drop in blood pressure, collapse, CNS disorders, spasms, narcotic conditions, respiratory paralysis, haemolysis.

Symptoms of an acute molybdenum(VI) intoxication: diarrhoea, anaemia (decreased haemoglobin concentration in the blood), fatigue. Toxic effect on liver and kidneys after high doses.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	semi-static test LC50 - Oncorhynchus mykiss (rainbow trout) - 420 mg/l - 96 h (OECD Test Guideline 203) Remarks: The value is given in analogy to the following substances: Ammonium heptamolybdate
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 79 mg/l - 48 h (OECD Test Guideline 202) Remarks: The value is given in analogy to the following substances: Ammonium heptamolybdate
Toxicity to bacteria	static test EC50 - activated sludge - 820 mg/l - 3 h (OECD Test Guideline 209) Remarks:

12.2 Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission

SIGALD- 431346

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 8 of 11

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods No data available

SECTION 14: Transport information					
14.1	UN numb ADR/RID:	-	IMDG: -	IATA: -	
14.2	2 UN proper shipping name ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA: Not dangerous goods				
14.3	Transport ADR/RID:	t hazard class(es) -	IMDG: -	IATA: -	
14.4	Packagin ADR/RID:		IMDG: -	IATA: -	
14.5	Environm ADR/RID:	ental hazards no	IMDG Marine pollutant: no	IATA: no	
14.6	Special n	recautions for use	r		

14.6 Special precautions for user

Further information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SIGALD- 431346

Page 9 of 11

The life science business of Merck operates as MilliporeSigma in the US and Canada



SECTION 16: Other information

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. -Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the

SIGALD- 431346

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 10 of 11

information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

SIGALD- 431346

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 11 of 11