Sigma-Aldrich.

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Version 9.1 Revision Date 07.03.2024 Print Date 20.07.2024 GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

## **SECTION 1:** Identification of the substance/mixture and of the company/undertaking

TIT FIGURE RELITES	1.1	Product ident	ifiers
--------------------	-----	---------------	--------

Product name	Ammonium oxalate monohydrate
Product Number	: 221716
Brand	: SIGALD
Index-No.	: 607-007-00-3
REACH No.	: 01-2120757936-37-XXXX
CAS-No.	: 6009-70-7

# **1.2** Relevant identified uses of the substance or mixture and uses advised against Identified uses : Laboratory chemicals, Manufacture of substances

- **1.3 Details of the supplier of the safety data sheet**Company :
- **1.4 Emergency telephone**

Emergency Phone # : +(44)-870-8200418 (CHEMTREC (GB)) +(353)-19014670 (CHEMTREC Ireland) 001-803-017-9114 (CHEMTREC India)

## **SECTION 2: Hazards identification**

2.1	Classification of the substance or mixture		
	Acute toxicity, (Category 4)	H302: Harmful if swallowed.	

Eye irritation, (Category 2)

H319: Causes serious eye irritation.

## 2.2 Label elements

Labelling according Regulation (EC) No 1272/2008
Pictogram

Signal Word

Warning

SIGALD- 221716

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 1 of 13

Hazard Statements H302 H319	Harmful if swallowed. Causes serious eye irritation.
Precautionary Statements	
P264	Wash skin thoroughly after handling.
P280	Wear eye protection/ face protection.
P301 + P312	IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 P501	If eye irritation persists: Get medical advice/ attention. Dispose of contents/ container to an approved waste disposal plant.
Supplemental Hazard Statements	none

## Reduced Labeling (<= 125 ml)

Pictogram	
Signal Word	Warning
Hazard Statements	none
Precautionary Statements	none
Supplemental Hazard Statements	none

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Synonyms	: Oxalic aciddiammonium salt
Formula	: C <sub>2</sub> H <sub>8</sub> N <sub>2</sub> O <sub>4</sub> · H <sub>2</sub> O
Molecular weight	: 142.11 g/mol

#### SIGALD- 221716

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 2 of 13



CAS-No.	:	6009-70-7
EC-No.	:	611-933-3
Index-No.	:	607-007-00-3

Component		Classification	Concentration
Oxalic acid, amm	onium salt monohydr	ate	
CAS-No. EC-No.	6009-70-7 611-933-3	Acute Tox. 4; Eye Irrit. H302, H319	2; <= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

## **SECTION 4: First aid measures**

## 4.1 Description of first-aid measures

#### **General advice**

Show this material safety data sheet to the doctor in attendance.

## If inhaled

After inhalation: fresh air.

## In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

## In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

## Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

## 5.2 Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx) Combustible.

SIGALD- 221716

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 3 of 13



Development of hazardous combustion gases or vapours possible in the event of fire.

## 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

## 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

## **SECTION 6:** Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
- 6.2 Environmental precautions Do not let product enter drains.
- **6.3 Methods and materials for containment and cleaning up** Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.
- **6.4 Reference to other sections** For disposal see section 13.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture.

## **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed. Dry.

#### Storage class

Storage class (TRGS 510): 13: Non Combustible Solids

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SIGALD- 221716

Page 4 of 13

The life science business of Merck operates as MilliporeSigma in the US and Canada



## SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

## Personal protective equipment

## Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

## **Skin protection**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact

Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet; www.kcl.de).

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

## **Body Protection**

protective clothing

## **Respiratory protection**

required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Recommended Filter type: Filter type P2

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

## **Control of environmental exposure**

Do not let product enter drains.

SIGALD- 221716

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 5 of 13

SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties			
	a)	Physical state	crystalline
	b)	Color	white
	c)	Odor	odorless
	d)	Melting point/freezing point	Melting point/range: 133 °C - dec.
	e)	Initial boiling point and boiling range	(decomposition)
	f)	Flammability (solid, gas)	The product is not flammable Flammability (solids)
	g)	Upper/lower flammability or explosive limits	No data available
	h)	Flash point	Not applicable
	i)	Autoignition temperature	No data available
	j)	Decomposition temperature	No data available
	k)	рН	6.0 - 7.0 at 14.2 g/l at 25 °C
	I)	Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
	m)	Water solubility	41.8 g/l at 20 °C - OECD Test Guideline 105
	n)	Partition coefficient: n-octanol/water	log Pow: < -4.8 at 20 °C - OECD Test Guideline 107 - Bioaccumulation is not expected.
	o)	Vapor pressure	< 0.1 hPa at 20 °C - OECD Test Guideline 104
	p)	Density	1.50 g/cm3 at 20.1 °C - OECD Test Guideline 109
		Relative density	No data available
	q)	Relative vapor density	No data available
	r)	Particle characteristics	No data available

- s) Explosive properties No data available
- t) Oxidizing properties none
- **9.2 Other safety information** No data available

SIGALD- 221716

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 6 of 13

## **SECTION 10: Stability and reactivity**

## **10.1 Reactivity**

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

## **10.2** Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

## **10.3** Possibility of hazardous reactions

Risk of explosion with: sodium hypochlorite Violent reactions possible with: Oxidizing agents Strong acids

- **10.4 Conditions to avoid** no information available
- **10.5 Incompatible materials** Iron, Mild steel, Lead
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

#### **Acute toxicity**

LD50 Oral - Rat - female - 375 mg/kg Remarks: (in analogy to similar compounds) (ECHA) The value is given in analogy to the following substances: Oxalic acid Acute toxicity estimate Oral - 375 mg/kg (ATE value derived from LD50/LC50 value) Inhalation: No data available LD50 Dermal - Rat - female - > 2,000 mg/kg (OECD Test Guideline 402)

#### Skin corrosion/irritation

Skin - in vitro test Result: No skin irritation (OECD Test Guideline 439)

## Serious eye damage/eye irritation

Eyes - Human Result: Eye irritation - 6 h (OECD Test Guideline 492)

## **Respiratory or skin sensitization**

Local lymph node assay (LLNA) - Mouse

SIGALD- 221716

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 7 of 13



Result: negative (OECD Test Guideline 429)

## Germ cell mutagenicity

Test Type: Ames test Test system: S. typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Remarks: (anhydrous substance) The value is given in analogy to the following substances: Oxalic acidTest Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster lung cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative Remarks: (anhydrous substance) The value is given in analogy to the following substances: Oxalic acidTest Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Chinese hamster lung cells Metabolic activation: without metabolic activation Method: OECD Test Guideline 473 Result: negative Remarks: (anhydrous substance) The value is given in analogy to the following substances: Oxalic acid**Carcinogenicity** No data available

## **Reproductive toxicity**

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

## Aspiration hazard

No data available

## **11.2 Additional Information**

## **Endocrine disrupting properties**

## Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Cough, Shortness of breath, Headache, Nausea, Vomiting To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Systemic effects:

SIGALD- 221716

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 8 of 13

After absorption:

Headache agitation, spasms Circulatory collapse

Damage to:

Kidney

The following applies to oxalates in general: nausea and vomiting after swallowing. Mucosal irritations, coughing, and dyspnoea after inhalation. Systemic effect: drop in the blood calcium level, toxic effect on kidneys, cardiovascular disorders.

The following applies to ammonium salts in general: after swallowing: local irritation symptoms, nausea, vomiting, diarrhoea. Systemic effect: after the uptake of very large qantities: drop in blood pressure, collapse, CNS disorders, spasms, narcotic conditions, respiratory paralysis, haemolysis.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Toxicity to daphnia and other aquatic invertebrates	semi-static test EC50 - Daphnia magna (Water flea) - > 33 mg/l - 48 h (OECD Test Guideline 202) Remarks: (anhydrous substance) The value is given in analogy to the following substances: Oxalic acid
Toxicity to algae	static test ErC50 - Pseudokirchneriella subcapitata (green algae) - > 78 mg/l - 72 h (OECD Test Guideline 201) Remarks: (anhydrous substance) The value is given in analogy to the following substances: Oxalic acid

## 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 20 d Result: 89 % - Readily biodegradable. Remarks: (in analogy to similar compounds) (ECHA) The value is given in analogy to the following substances: Oxalic acid

## **12.3 Bioaccumulative potential**

No data available

SIGALD- 221716

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 9 of 13

## 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Endocrine disrupting properties <u>Product:</u>

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## 12.7 Other adverse effects

Discharge into the environment must be avoided.

## SECTION 13: Disposal considerations

13.1 Waste treatment methods No data available

SECTION 14: Transport information		
<b>14.1 UN number</b> ADR/RID: -	IMDG: -	IATA: -
<b>14.2 UN proper shipping name</b> ADR/RID: Not dangerous go IMDG: Not dangerous go IATA: Not dangerous go	ods	
14.3 Transport hazard class(es ADR/RID: -	) IMDG: -	IATA: -
14.4 Packaging group ADR/RID: -	IMDG: -	IATA: -
14.5 Environmental hazards ADR/RID: no	IMDG Marine pollutant: no	IATA: no
14.6 Special precautions for us	er	
Further information		

Not classified as dangerous in the meaning of transport regulations.

SIGALD- 221716

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 10 of 13



## SECTION 15: Regulatory information

## **15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

## **Other regulations**

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

## **15.2 Chemical Safety Assessment**

For this product a chemical safety assessment was not carried out

## **SECTION 16: Other information**

## Full text of H-Statements

H302	Harmful if swallowed.
H319	Causes serious eye irritation.

SIGALD- 221716

The life science business of Merck operates as MilliporeSigma in the US and Canada

A

Page 11 of 13

## Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

## **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

SIGALD- 221716

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 12 of 13

SIGALD- 221716

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 13 of 13