Sigma-Aldrich.

# SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Version 8.3 Revision Date 04.03.2024 Print Date 21.09.2024 GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifiers Product name	:	Arsenic(III) oxide
	Product Number Brand Index-No. REACH No. CAS-No.	:	A1010 SIGALD 033-003-00-0 A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline. 1327-53-3
1.2	Relevant identified use		of the substance or mixture and uses advised against Scientific research and development
1.3	Details of the supplier	of	the safety data sheet

Company

**1.4 Emergency telephone** 

Emergency Phone #	: +(44)-870-8200418 (CHEMTREC (GB))
	+(353)-19014670 (CHEMTREC Ireland)
	001-803-017-9114 (CHEMTREC India)

1

## **SECTION 2: Hazards identification**

2.1	<b>Classification of the substance or mixture</b> Acute toxicity, (Category 2)H300: Fatal if swallowed.	
	Skin corrosion, (Sub-category 1B)	H314: Causes severe skin burns and eye damage.
	Serious eye damage, (Category 1)	H318: Causes serious eye damage.
	Carcinogenicity, (Category 1A)	H350: May cause cancer.

SIGALD- A1010

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 1 of 14

	Specific target organ toxicity - repeated exposure, (Category 1), Respiratory system, Cardio- vascular system, Gastrointestinal tract		H372: Causes damage to organs through prolonged or repeated exposure.
	Short-term (acute) aquatic hazard, (Category 1)		H400: Very toxic to aquatic life.
	Long-term (chronic) aquatic hazard, (Category 1)		H410: Very toxic to aquatic life with long lasting effects.
2.2	Label elements		
	Labelling according Regu Pictogram	lation (I	EC) No 1272/2008
	Signal Word	Danger	
	Hazard Statements H300 H314 H350 H372	Causes s May cau Causes s system,	swallowed. severe skin burns and eye damage. se cancer. damage to organs (Respiratory system, Cardio-vascular Gastrointestinal tract) through prolonged or repeated
	H410	exposur Very tox	e. (ic to aquatic life with long lasting effects.
	Precautionary Statements P260 P273 P280 P303 + P361 + P353 P304 + P340 + P310 P305 + P351 + P338	Avoid re Wear pr protection IF ON St clothing IF INHA for brea IF IN EY	breathe dust. elease to the environment. otective gloves/ protective clothing/ eye protection/ face on. KIN (or hair): Take off immediately all contaminated . Rinse skin with water. LED: Remove person to fresh air and keep comfortable thing. Immediately call a POISON CENTER/ doctor. 'ES: Rinse cautiously with water for several minutes. contact lenses, if present and easy to do. Continue
	Supplemental Hazard Statements	none	

Restricted to professional users.

# Reduced Labeling (<= 125 ml)

Pictogram

Danger

Signal Word

SIGALD- A1010

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 2 of 14



Hazard Statements H300 H350 H372	Fatal if swallowed. May cause cancer. Causes damage to organs through prolonged or repeated
H314	exposure. Causes severe skin burns and eye damage.
Precautionary Statements	
P260	Do not breathe dust.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Supplemental Hazard Statements	none

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Synonyms	: Arsenous acid Arsenic trioxide		
Formula Molecular weight CAS-No. EC-No. Index-No.	: As <sub>2</sub> O <sub>3</sub> : 197.84 g/mol : 1327-53-3 : 215-481-4 : 033-003-00-0		
Component		Classification	Concentration
	cluded in the Candidate on (EC) No. 1907/2006 1327-53-3	List of Substances of Very Hig (REACH) Acute Tox. 2; Skin Corr.	

SIGALD- A1010

Page 3 of 14

The life science business of Merck operates as MilliporeSigma in the US and Canada



For the full text of the H-Statements mentioned in this Section, see Section 16.

#### SECTION 4: First aid measures

#### 4.1 Description of first-aid measures

#### **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible. Do not attempt to neutralise.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

#### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

# **5.2** Special hazards arising from the substance or mixture Arsenic oxides Not combustible.

SIGALD- A1010

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 4 of 14

Ambient fire may liberate hazardous vapours.

## 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

## 5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

# SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
- **6.2 Environmental precautions** Do not let product enter drains.
- **6.3 Methods and materials for containment and cleaning up** Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.
- **6.4 Reference to other sections** For disposal see section 13.

#### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture.

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

#### Storage class

Storage class (TRGS 510): 6.1A: Combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SIGALD- A1010

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 5 of 14

#### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Ingredients with workplace control parameters

#### 8.2 Exposure controls

#### **Personal protective equipment**

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

#### **Skin protection**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

#### **Body Protection**

protective clothing

#### **Respiratory protection**

required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Recommended Filter type: Filter type P3

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### **Control of environmental exposure**

Do not let product enter drains.

SIGALD- A1010

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 6 of 14

# SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties

	••••••••••••••••••••••••••••••••••••••	·/····
a)	Physical state	powder
b)	Color	white, light gray
c)	Odor	odorless
d)	Melting point/freezing point	Melting point/range: 313 °C
e)	Initial boiling point and boiling range	460 °C at 1,013 hPa
f)	Flammability (solid, gas)	No data available
g)	Upper/lower flammability or explosive limits	No data available
h)	Flash point	Not applicable
i)	Autoignition temperature	No data available
j)	Decomposition temperature	No data available
k)	рН	No data available
I)	Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
m)	Water solubility	17.8 g/l at 20 °C - OECD Test Guideline 105- completely soluble
n)	Partition coefficient: n-octanol/water	Not applicable for inorganic substances
o)	Vapor pressure	0.000001 hPa at 66 °C
p)	Density	3.738 g/cm3
	Relative density	3.87 at 22.3 °C - OECD Test Guideline 109
q)	Relative vapor density	
r)	Particle characteristics	No data available

- s) Explosive properties No data available
- t) Oxidizing properties none
- 9.2 Other safety information No data available

SIGALD- A1010

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 7 of 14

## **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

No data available

#### **10.2 Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature) .

## **10.3** Possibility of hazardous reactions

Risk of explosion with: Aluminum magnesium Zinc Violent reactions possible with: halogens Hydrogen halides strong reducing agents Bromine Fluorine halogen-halogen compounds Hydrogen fluoride nitrates chlorates Mercury

# **10.4** Conditions to avoid

Heat. no information available

- **10.5 Incompatible materials** No data available
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - 14.6 mg/kg Remarks: (IUCLID) Acute toxicity estimate Oral - 14.6 mg/kg (ATE value derived from LD50/LC50 value) Inhalation: No data available Dermal: No data available

#### Skin corrosion/irritation

Remarks: Causes skin burns. Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

# Serious eye damage/eye irritation

Remarks: Causes serious eye damage.

SIGALD- A1010

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 8 of 14



# **Respiratory or skin sensitization**

Maximization Test - Guinea pig Result: negative (OECD Test Guideline 406) Remarks: (in analogy to similar products)

#### Germ cell mutagenicity

Test Type: Ames test Test system: Escherichia coli Result: negative Remarks: (ECHA) The value is given in analogy to the following substances: sodium arsenite**Carcinogenicity** May cause cancer. Positive evidence from human epidemiological studies.

## **Reproductive toxicity**

No data available

#### Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure. - Respiratory system, Cardio-vascular system, Gastrointestinal tract

# **Aspiration hazard**

No data available

#### **11.2 Additional Information**

# **Endocrine disrupting properties**

#### Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

RTECS: CG3325000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough, Shortness of breath, Headache, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Toxicity to fish flow-through test LC50 - Pimephales promelas (fathead minnow) -12.6 mg/l - 96 h (US-EPA) Remarks: The value is given in analogy to the following substances: Disodium arsenate heptahydrate

SIGALD- A1010

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 9 of 14

Toxicity to daphnia and other aquatic invertebrates	static test LC50 - Daphnia magna (Water flea) - 1.5 mg/l - 48 h Remarks: (ECHA) The value is given in analogy to the following substances: sodium arsenite
Toxicity to bacteria	static test EC50 - activated sludge - 6.1 mg/l - 60 h Remarks: (ECHA)
Toxicity to fish(Chronic toxicity)	flow-through test NOEC - Pimephales promelas (fathead minnow) - 3.8 mg/l - 28 d Remarks: (ECHA) The value is given in analogy to the following substances: Disodium arsenate heptahydrate
Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)	LOEC - Daphnia magna (Water flea) - 10 mg/l - 21 d Remarks: (ECOTOX Database)
	NOEC - Daphnia magna (Water flea) - 1.85 mg/l - 21 d Remarks: (ECOTOX Database)

#### 12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

#### 12.3 Bioaccumulative potential

Bioaccumulation Lepomis cyanellus(Arsenic trioxide)

Bioconcentration factor (BCF): 236

# 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Endocrine disrupting properties <u>Product:</u>

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

No data available

SIGALD- A1010

Page 10 of 14

The life science business of Merck operates as MilliporeSigma in the US and Canada



#### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

No data available

SECTION 14: Transport informa	tion	
<b>14.1 UN number</b> ADR/RID: 1561	IMDG: 1561	IATA: 1561
<b>14.2UN proper shipping name</b> ADR/RID:ADR/RID:ARSENIC TRIOXID IMDG:IMDG:ARSENIC TRIOXID IATA:Arsenic trioxide		
14.3 Transport hazard class(es ADR/RID: 6.1	) IMDG: 6.1	IATA: 6.1
14.4 Packaging group ADR/RID: II	IMDG: II	IATA: II
14.5 Environmental hazards ADR/RID: yes	IMDG Marine pollutant: yes	IATA: no
14.6 Special precautions for user		
Further information :	No data available	

#### **SECTION 15: Regulatory information**

# **15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### Authorisations and/or restrictions on use

REACH - Candidate List of Substances of Very : Arsenic trioxide High Concern for Authorisation (Article 59).

This product contains a substance listed on Annex XIV of the REACH Regulation (EC) Nr. 1907/2006.

Listed substance / Sunset Date

: Arsenic trioxide / 21.05.2015

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

REACH - Restrictions on the manufacture, : Arsenic trioxide placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

SIGALD- A1010

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 11 of 14



# **National legislation**

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

- H2 ACUTE TOXIC
- E1 ENVIRONMENTAL HAZARDS
- 8 Arsenic(III) oxide, Arsenic(III) acid and /or its salts

#### **Other regulations**

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

#### **15.2 Chemical Safety Assessment**

For this product a chemical safety assessment was not carried out

# **SECTION 16: Other information**

# **Full text of H-Statements**

H300	Fatal if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H350	May cause cancer.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

SIGALD- A1010

The life science business of Merck operates as MilliporeSigma in the US and Canada

A

Page 12 of 14

#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

SIGALD- A1010

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 13 of 14

SIGALD- A1010

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 14 of 14