Sigma-Aldrich.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Version 8.1 Revision Date 08.03.2024 Print Date 19.04.2025 GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifiers Product name	:	2-Butanol
	Product Number Brand Index-No. REACH No.	: :	B85919 SIGALD 603-127-00-5 A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.
	CAS-No.	:	78-92-2
1.2	Relevant identified uses of the substance or mixture and uses advised against		
	Identified uses	:	Laboratory chemicals, Manufacture of substances
1.3	Details of the supplier of the safety data sheet		
	Company	:	
1.4	Emergency telephone		
	Emergency Phone #	:	+(44)-870-8200418 (CHEMTREC (GB)) +(353)-19014670 (CHEMTREC Ireland)

001-803-017-9114 (CHEMTREC India)

SECTION 2: Hazards identification

2.1	Classification of the substance or Flammable liquids, (Category 3)	mixture H226: Flammable liquid and vapor.
	Eye irritation, (Category 2)	H319: Causes serious eye irritation.
	Specific target organ toxicity - single exposure, (Category 3), Central nervous system	H336: May cause drowsiness or dizziness.
	Specific target organ toxicity -	H335: May cause respiratory irritation.

SIGALD- B85919

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 1 of 12

single exposure, (Category 3), Respiratory system

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008 Pictogram

Signal Word	Warning
Hazard Statements H226 H319 H335 H336	Flammable liquid and vapor. Causes serious eye irritation. May cause respiratory irritation. May cause drowsiness or dizziness.
Precautionary Statements P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P240	Ground and bond container and receiving equipment.
P241 P242	Use explosion-proof electrical/ ventilating/ lighting/ equipment. Use non-sparking tools.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Supplemental Hazard Statements	none

Reduced Labeling (<= 125 ml)

Pictogram

\mathbf{V}	

Signal Word	Warning
Hazard Statements	none
Precautionary Statements	none
Supplemental Hazard Statements	none

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

SIGALD- B85919

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 2 of 12



The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms	: sec-Butyl alcohol		
Formula Molecular weight CAS-No. EC-No. Index-No.	: C₄H10O : 74.12 g/mol : 78-92-2 : 201-158-5 : 603-127-00-5		
Component	. 003 127 00 3	Classification	Concentration
butan-2-ol			
CAS-No. EC-No. Index-No.	78-92-2 201-158-5 603-004-00-6	Flam. Liq. 3; Eye Irrit. 2; STOT SE 3; H226, H319, H336, H335	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SIGALD- B85919

Page 3 of 12

The life science business of Merck operates as MilliporeSigma in the US and Canada



SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2) Foam Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air at elevated temperatures. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

Dispose of properly. Clean up affected area.

6.3 Methods and materials for containment and cleaning up Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®).

6.4 Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advice on protection against fire and explosion Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

SIGALD- B85919

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 4 of 12

Change contaminated clothing. Wash hands after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Storage class

Storage class (TRGS 510): 3: Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact

Material: Nitrile rubber Minimum layer thickness: 0.4 mm Break through time: 480 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Chloroprene

Minimum layer thickness: 0.65 mm Break through time: 120 min Material tested:KCL 720 Camapren®

SIGALD- B85919

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 5 of 12



Body Protection

Flame retardant antistatic protective clothing.

Respiratory protection

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties

a)	Physical state	liquid
b)	Color	colorless
c)	Odor	alcohol-like
d)	Melting point/freezing point	Melting point/range: -115 °C - lit.
e)	Initial boiling point and boiling range	98 °C - lit.
f)	Flammability (solid, gas)	No data available
g)	Upper/lower flammability or explosive limits	Upper explosion limit: 9.8 %(V) Lower explosion limit: 1.7 %(V)
h)	Flash point	27 °C - closed cup
i)	Autoignition temperature	No data available
j)	Decomposition temperature	No data available
k)	рН	No data available
I)	Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: 4.703 mPa.s at 15 °C
m)	Water solubility	ca.18 g/l at 20 °C - soluble
n)	Partition coefficient: n-octanol/water	log Pow: 0.65 at 25 °C - Bioaccumulation is not expected.
o)	Vapor pressure	15.3 hPa at 20 °C
p)	Density	0.808 g/cm3 at 25 °C - lit.
	Relative density	No data available
q)	Relative vapor	No data available

SIGALD- B85919

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 6 of 12

density

- r) Particle No data available characteristics
- s) Explosive properties No data available
- t) Oxidizing properties none

9.2 Other safety information

Surface tension 23 mN/m at 20 °C

SECTION 10: Stability and reactivity

10.1 Reactivity

Vapor/air-mixtures are explosive at intense warming.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Exothermic reaction with: Alkali metals Alkaline earth metals Strong oxidizing agents strong reducing agents Aluminum acid halides chromium(VI) oxide

10.4 Conditions to avoid Heating.

10.5 Incompatible materials Aluminum, rubber, various plastics, Strong oxidizing agents

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - 2,193 mg/kg (OECD Test Guideline 423) LC50 Inhalation - Rat - 4 h - 48.5 mg/l - vapor

Remarks: (RTECS) Dermal: No data available

SIGALD- B85919

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 7 of 12



Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 4 h (OECD Test Guideline 404)

Serious eye damage/eye irritation No data available

Respiratory or skin sensitization

Maximization Test - Guinea pig (OECD Test Guideline 406)

Germ cell mutagenicity

Test Type: Ames test Test system: S. typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

May cause respiratory irritation. May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

11.2 Additional Information

Endocrine disrupting properties

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

RTECS: E01750000

Nausea, Dizziness, Headache, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SIGALD- B85919

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 8 of 12

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish static test LC50 - Leuciscus idus melanotus - 3,520 mg/l - 48 h Remarks: (ECHA)

Toxicity to daphnia static test EC50 - Daphnia magna (Water flea) - 2,300 mg/l - 24 h and other aquatic invertebrates

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 5 d Result: 86 % - Readily biodegradable. Remarks: (ECHA)

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product: Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No interference with wastewater treatment plants are to be expected when used properly. Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SIGALD- B85919

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 9 of 12



SECTION 14: Transport information			
14.1 UN number ADR/RID: 1120	IMDG: 1120	IATA: 1120	
14.2 UN proper shipping name ADR/RID:BUTANOLSIMDG:BUTANOLSIATA:Butanols			
14.3 Transport hazard class(es) ADR/RID: 3) IMDG: 3	IATA: 3	
14.4 Packaging group ADR/RID: III	IMDG: III	IATA: III	
14.5 Environmental hazards ADR/RID: no	IMDG Marine pollutant: no	IATA: no	
14.6 Special precautions for user			
Further information :	No data available		

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Authorisations and/or restrictions on use

National legislation

Seveso III: Directive 2012/18/EU of the P5c FLAMMABLE LIQUIDS European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Other regulations

Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements

H226	Flammable liquid and vapor.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.

SIGALD- B85919

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 10 of 12

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

SIGALD- B85919

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 11 of 12

SIGALD- B85919

The life science business of Merck operates as MilliporeSigma in the US and Canada

A

