

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 8.1 Revision Date 07.03.2024 Print Date 11.01.2025

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Dibutylamine

Product Number : 471232 Brand : Aldrich

Index-No. : 612-049-00-0

REACH No. : A registration number is not available for this substance as the

substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

CAS-No. : 111-92-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company :

1.4 Emergency telephone

Emergency Phone #: +(44)-870-8200418 (CHEMTREC (GB))

+(353)-19014670 (CHEMTREC Ireland) 001-803-017-9114 (CHEMTREC India)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Flammable liquids, (Category 3) H226: Flammable liquid and vapor.

Acute toxicity, (Category 4) H302: Harmful if swallowed.

Acute toxicity, (Category 2) H330: Fatal if inhaled.

Acute toxicity, (Category 3) H311: Toxic in contact with skin.

Skin corrosion, (Sub-category H314: Causes severe skin burns and eye

Aldrich- 471232 Page 1 of 14



1A) damage.

Serious eye damage, (Category H318: Causes serious eye damage.

1)

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word Danger

Hazard Statements

H226 Flammable liquid and vapor.

H302 Harmful if swallowed.
H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H330 Fatal if inhaled.

Precautionary Statements

P210 Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P301 + P312 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel

unwell.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard

Statements

none

Reduced Labeling (<= 125 ml)

Pictogram



Signal Word Danger

Hazard Statements

H330 Fatal if inhaled.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

Precautionary Statements

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

Aldrich- 471232 Page 2 of 14



P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard

Statements

none

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Component		Classification	Concentration
di-n-butylamine			
CAS-No. EC-No. Index-No.	111-92-2 203-921-8 612-049-00-0	Flam. Liq. 3; Acute Tox. 4; Acute Tox. 2; Acute Tox. 3; Skin Corr. 1A; Eye Dam. 1; H226, H302, H330, H311, H314, H318	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

Aldrich- 471232 Page 3 of 14



If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2) Foam Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

Nitrogen oxides (NOx)

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air at elevated temperatures.

Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

Aldrich- 471232 Page 4 of 14

M

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

Storage class

Storage class (TRGS 510): 3: Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Aldrich- 471232 Page 5 of 14



SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

ruii contact

Material: Nitrile rubber

Minimum layer thickness: 0.4 mm Break through time: 480 min

Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Chloroprene

Minimum layer thickness: 0.65 mm

Break through time: 30 min

Material tested: KCL 720 Camapren®

Body Protection

Flame retardant antistatic protective clothing.

Respiratory protection

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

Aldrich- 471232 Page 6 of 14



SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Physical state clear, liquidb) Color colorlessc) Odor ammoniacal

d) Melting point/range: -62 °C - lit.

point/freezing point

e) Initial boiling point 159 °C - lit. and boiling range

f) Flammability (solid, No data available gas)

g) Upper/lower Upper explosion limit: 6.8 %(V) flammability or Lower explosion limit: 0.6 %(V) explosive limits

h) Flash point 40.5 °C - closed cup

i) Autoignition 255 °C

temperature at 1,013.25 hPa
Decomposition No data available temperature

k) pH 11.1 at 1 g/l at 20 °C

I) Viscosity Viscosity, kinematic: No data available

Viscosity, dynamic: 0.64 mPa.s at 40 °C0.85 mPa.s at 20 °C

m) Water solubility 3.8 g/l at 20 °C - OECD Test Guideline 105- miscible

n) Partition coefficient: log Pow: 2.1 at 23 °C - Bioaccumulation is not expected. n-octanol/water

o) Vapor pressure 2.26 hPa at 20.3 °C

p) Density 0.767 g/cm3 at 25 °C - lit.

Relative density No data available

q) Relative vapor No data available density

r) Particle No data available

characteristics

j)

s) Explosive properties No data available

t) Oxidizing properties none

9.2 Other safety information

Surface tension 50.6 mN/m at 1.005g/l at 20 °C - OECD Test Guideline 115

Aldrich- 471232 Page 7 of 14



Dissociation constant 11 at 20 °C

- OECD Test Guideline 112

Relative vapor

density

4.46 - (Air = 1.0)

SECTION 10: Stability and reactivity

10.1 Reactivity

Vapor/air-mixtures are explosive at intense warming.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Caution! In contact with nitrites, nitrates, nitrous acid possible liberation of nitrosamines! Exothermic reaction with:

acids

anhydrides

Strong oxidizing agents

Violent reactions possible with:

Alcohols

glycol ether

Ketones

Aldehydes

Esters

Nitriles

phenols

10.4 Conditions to avoid

Heating.

10.5 Incompatible materials

nonferrous metals, Light metals, Copper, Copper alloys, Tin

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male - 550 mg/kg

Remarks: (ECHA)

LC50 Inhalation - Rat - male and female - 4 h - 1.15 mg/l - vapor

(OECD Test Guideline 403)

LD50 Dermal - Rabbit - male - 768 mg/kg

Remarks: (ECHA)

Aldrich- 471232 Page 8 of 14



Skin corrosion/irritation

Skin - Rabbit

Result: Causes severe burns. - 3 min - 1 h

(OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit Result: Corrosive

(OECD Test Guideline 405)

Remarks: Causes serious eye damage.

Respiratory or skin sensitization

Buehler Test - Guinea pig

Result: Does not cause skin sensitization.

(US-EPA)

Germ cell mutagenicity

Test Type: In vitro mammalian cell gene mutation test

Test system: Mouse lymphoma test

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal

analysis)

Species: Mouse

Cell type: Bone marrow Application Route: Oral

Method: OECD Test Guideline 475

Result: negative **Carcinogenicity**

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

Endocrine disrupting properties

Product:

Assessment The substance/mixture does not contain

components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Aldrich- 471232 Page 9 of 14

A

RTECS: HR7780000

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish static test LC50 - Oncorhynchus mykiss (rainbow trout) - 5.5 mg/l -

96 h

Remarks: (in soft water)

(ECHA)

static test LC50 - Oncorhynchus mykiss (rainbow trout) - 37 mg/l -

Remarks: (in hard water)

(ECHA)

Toxicity to daphnia and other aquatic

invertebrates

semi-static test LC50 - Ceriodaphnia dubia (water flea) - 8.4 mg/l -48 h

(US-EPA)

Toxicity to algae static test EC50 - Desmodesmus subspicatus (green algae) - 16.91

mg/l - 72 h

(OECD Test Guideline 201)

Toxicity to bacteria EC50 - Pseudomonas putida - 196 mg/l - 17 h

Remarks: (IUCLID)

Toxicity to daphnia and other aquatic

NOEC - Daphnia magna (Water flea) - 4.2 mg/l - 21 d

(OECD Test Guideline 211)

invertebrates(Chronic Remarks: (in analogy to similar products) toxicity)

The value is given in analogy to the following substances:

diethylamine

LC50 - Daphnia magna (Water flea) - 5.7 mg/l - 21 d

(OECD Test Guideline 211)

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances:

diethylamine

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 95 % - Readily biodegradable.

(OECD Test Guideline 301C)

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Aldrich- 471232 Page 10 of 14



This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

No data available

SECTION 14: Transport information

14.1 UN number

ADR/RID: 2248 IMDG: 2248 IATA: 2248

14.2 UN proper shipping name

ADR/RID: DI-n-BUTYLAMINE IMDG: DI-n-BUTYLAMINE IATA: Di-n-butylamine

14.3 Transport hazard class(es)

ADR/RID: 8 (3) IMDG: 8 (3) IATA: 8 (3)

14.4 Packaging group

ADR/RID: II IMDG: II IATA: II

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

Further information : No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Aldrich- 471232 Page 11 of 14



This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

H2

National legislation

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

ACUTE TOXIC

P5c FLAMMABLE LIQUIDS

Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements

H226	Flammable liquid and vapor.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H330	Fatal if inhaled.

Aldrich- 471232 Page 12 of 14



Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Aldrich- 471232 Page 13 of 14



Aldrich- 471232 Page 14 of 14

