www.sigmaaldrich.com

Sigma-Aldrich.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Version 8.3 Revision Date 08.03.2024 Print Date 25.04.2025 GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifiers		
	Product name	:	1-Bromobutane
	Product Number Brand REACH No.	:	B59497 Sigma-Aldrich A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.
	CAS-No.	:	109-65-9
1.2	Relevant identified uses of the substance or mixture and uses advised against		
	Identified uses	:	Laboratory chemicals, Manufacture of substances
1.3	Details of the supplier of the safety data sheet		
	Company	:	
1.4	Emergency telephone		

001-803-017-9114 (CHEMTREC India)

SECTION 2: Hazards identification

2.1	Classification of the substance or Flammable liquids, (Category 2)	 mixture H225: Highly flammable liquid and vapor. 		
	Skin irritation, (Category 2)	H315: Causes skin irritation.		
	Carcinogenicity, (Category 2)	H351: Suspected of causing cancer.		
	Reproductive toxicity, (Category 1B)	H360FD: May damage fertility. May damage the unborn child.		
	Specific target organ toxicity -	H335: May cause respiratory irritation.		

Sigma-Aldrich- B59497

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 1 of 13

single exposure, (Category 3), Respiratory system

Specific target organ toxicity repeated exposure, (Category 2), Liver

Long-term (chronic) aquatic hazard, (Category 2)

H373: May cause damage to organs through prolonged or repeated exposure if inhaled.

H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008 Pictogram

	· · · · ·
Signal Word	Danger
Hazard Statements	
H225	Highly flammable liquid and vapor.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H360FD	May damage fertility. May damage the unborn child.
H373	May cause damage to organs (Liver) through prolonged or repeated exposure if inhaled.
H411	Toxic to aquatic life with long lasting effects.
Precautionary Statements	
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P273	Avoid release to the environment.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
Supplemental Hazard Statements	none

Reduced Labeling (<= 125 ml)

Pictogram

Signal Word

Danger

Hazard Statements H351 H360FD

Suspected of causing cancer. May damage fertility. May damage the unborn child.

Do not handle until all safety precautions have been read and

Precautionary Statements P202

Sigma-Aldrich- B59497

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 2 of 13

P308 + P313	understood. IF exposed or concerned: Get medical advice/ attention.
Supplemental Hazard	none

Statements 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1	Substances Synonyms	: Butyl bromide		
	Formula Molecular weight CAS-No. EC-No.	: C₄H₃Br : 137.02 g/mol : 109-65-9 : 203-691-9		
	Component		Classification	Concentration
	1-bromobutane			
	CAS-No. EC-No.	109-65-9 203-691-9	Flam. Liq. 2; Skin Irrit. 2; Carc. 2; Repr. 1B; STOT SE 3; STOT RE 2; Aquatic Chronic 2; H225, H315, H351, H360FD, H335, H373, H411	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

Sigma-Aldrich- B59497

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 3 of 13



In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

- **4.2 Most important symptoms and effects, both acute and delayed** The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides Hydrogen bromide gas Combustible. Pay attention to flashback. Vapors are heavier than air and may spread along floors. Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

Sigma-Aldrich- B59497

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 4 of 13

6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

Storage class

Storage class (TRGS 510): 3: Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Sigma-Aldrich- B59497

Page 5 of 13

The life science business of Merck operates as MilliporeSigma in the US and Canada



Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact Material: Viton®

Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact

Material: Nitrile rubber Minimum layer thickness: 0.4 mm Break through time: 60 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

Body Protection

Flame retardant antistatic protective clothing.

Respiratory protection

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties

a)	Physical state	clear, liquid
b)	Color	light brown
c)	Odor	No data available
d)	Melting point/freezing point	Melting point/range: -112 °C - lit.
e)	Initial boiling point and boiling range	100 - 104 °C - lit.
f)	Flammability (solid, gas)	No data available

Sigma-Aldrich- B59497

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 6 of 13

flammability or explosive limits	Upper explosion limit: 6.6 %(V) Lower explosion limit: 2.8 %(V)
Flash point	10 °C - closed cup
Autoignition temperature	265 °C
Decomposition temperature	No data available
рН	No data available
Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
Water solubility	0.869 g/l at 25 °C - partly soluble
Partition coefficient: n-octanol/water	log Pow: 2.75 - Bioaccumulation is not expected., (ECHA)
Vapor pressure	200 hPa at 50 °C 53 hPa at 25 °C
Density	1.276 g/cm3 at 25 °C - lit.
Relative density	No data available
Relative vapor density	No data available
Particle characteristics	No data available
	explosive limits Flash point Autoignition temperature Decomposition temperature pH Viscosity Water solubility Partition coefficient: n-octanol/water Vapor pressure Density Relative density Relative vapor density Particle

- s) Explosive properties No data available
- t) Oxidizing properties none

9.2 Other safety information

Surface tension	25.9 mN/m at 25 °C		

Relative vapor	4.73 - (Air = 1.0)
density	

SECTION 10: Stability and reactivity

10.1 Reactivity

Vapors may form explosive mixture with air.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

peroxi compounds Alkali metals Alkaline earth metals Powdered metals

Sigma-Aldrich- B59497

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 7 of 13



Strong oxidizing agents fats various plastics Exothermic reaction with:

- **10.4 Conditions to avoid** Warming.
- **10.5 Incompatible materials** No data available
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 2,761 mg/kg Remarks: Behavioral:Somnolence (general depressed activity). Behavioral:Tremor. Behavioral:Ataxia. (RTECS) Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract, Headache, inebriation, Dizziness, Unconsciousness LD50 Dermal - Rat - male and female - > 2,000 mg/kg (OECD Test Guideline 402)

Skin corrosion/irritation

Skin - Rabbit Result: Irritating to skin. (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation - 1 s (OECD Test Guideline 405)

Respiratory or skin sensitization

Maximization Test - Guinea pig Result: negative (OECD Test Guideline 406)

Germ cell mutagenicity

Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476

Sigma-Aldrich- B59497

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 8 of 13



Result: positive

Test Type: Micronucleus test Species: Mouse Cell type: Red blood cells (erythrocytes) Application Route: Intraperitoneal Method: OECD Test Guideline 474 Result: negative

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

May damage fertility. May damage the unborn child.

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

Inhalation - May cause damage to organs through prolonged or repeated exposure. - Liver

Aspiration hazard No data available

11.2 Additional Information

Endocrine disrupting properties

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

RTECS: EJ6225000

Cough, Shortness of breath, Headache, Nausea, Vomiting To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Chronic intoxication:

Damage to:

Liver

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Sigma-Aldrich- B59497

Page 9 of 13

The life science business of Merck operates as MilliporeSigma in the US and Canada



SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	semi-static test LC50 - Oncorhynchus mykiss (rainbow trout) - 24.3 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 99.3 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	ErC50 - Pseudokirchneriella subcapitata (green algae) - 9.98 mg/l - 72 h (OECD Test Guideline 201)
Toxicity to bacteria	static test EC50 - activated sludge - 270 mg/l - 5 min Remarks: (ECHA)

12.2 Persistence and degradability

aerobic - Exposure time 28 d Biodegradability Result: 19.2 % - Not readily biodegradable. (OECD Test Guideline 301D)

- 12.3 Bioaccumulative potential No data available
- **12.4 Mobility in soil** No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties **Product:**

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Discharge into the environment must be avoided.

Sigma-Aldrich- B59497

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 10 of 13



SECTION 13: Disposal considerations

13.1 Waste treatment methods

No data available

SECTION 14: Transport information				
14.1 UN number ADR/RID: 1126	IMDG: 1126	IATA: 1126		
14.2UN proper shipping name ADR/RID:ADR/RID:1-BROMOBUTANE IMDG:IMDG:1-BROMOBUTANE IATA:I-Bromobutane				
14.3 Transport hazard class(es) ADR/RID: 3	IMDG: 3	IATA: 3		
14.4 Packaging group ADR/RID: II	IMDG: II	IATA: II		
14.5 Environmental hazards ADR/RID: yes	IMDG Marine pollutant: yes	IATA: no		
14.6 Special precautions for user				
Further information :	No data available			

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

National legislation

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.	P5c	FLAMMABLE LIQUIDS
	E2	ENVIRONMENTAL HAZARDS
	E2	ENVIRONMENTAL HAZARDS
	P5c	FLAMMABLE LIQUIDS

Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

Sigma-Aldrich- B59497

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 11 of 13

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements

H225	Highly flammable liquid and vapor.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H360FD	May damage fertility. May damage the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure if
	inhaled.
H411	Toxic to aquatic life with long lasting effects

H411 Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. -Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sigma-Aldrich- B59497

The life science business of Merck operates as MilliporeSigma in the US and Canada

A

Page 12 of 13

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Sigma-Aldrich- B59497

The life science business of Merck operates as MilliporeSigma in the US and Canada

A

Page 13 of 13