

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 8.4 Revision Date 04.03.2024 Print Date 07.09.2024

# GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

## 1.1 Product identifiers

Product name : *m*-Cresol

Product Number : C85727 Brand : SIGALD

Index-No. : 604-004-00-9

REACH No. : A registration number is not available for this substance as the

SECTION 1: Identification of the substance/mixture and of the company/undertaking

substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

CAS-No. : 108-39-4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company :

1.4 Emergency telephone

Emergency Phone #: +(44)-870-8200418 (CHEMTREC (GB))

+(353)-19014670 (CHEMTREC Ireland) 001-803-017-9114 (CHEMTREC India)

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Acute toxicity, (Category 3) H301: Toxic if swallowed.

Acute toxicity, (Category 3) H311: Toxic in contact with skin.

Skin corrosion, (Sub-category H314: Causes severe skin burns and eye

1B) damage.

Serious eye damage, (Category H318: Causes serious eye damage.

1)

SIGALD- C85727 Page 1 of 15



lasting effects.

#### 2.2 Label elements

## Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word Danger

Hazard Statements

H301 + H311 Toxic if swallowed or in contact with skin.
H314 Causes severe skin burns and eye damage.
H412 Harmful to aquatic life with long lasting effects.

**Precautionary Statements** 

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

P361 + P364 Take off immediately all contaminated clothing and wash it

before reuse.

Supplemental Hazard

Statements

none

#### Reduced Labeling (<= 125 ml)

Pictogram

Danger

Signal Word

Hazard Statements

H314 Causes severe skin burns and eye damage.
H412 Harmful to aquatic life with long lasting effects.
H301 + H311 Toxic if swallowed or in contact with skin.

**Precautionary Statements** 

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

SIGALD- C85727 Page 2 of 15



rinsing.

P361 + P364 Take off immediately all contaminated clothing and wash it

before reuse.

Supplemental Hazard

Statements

none

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### **Ecological information:**

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

## 3.1 Substances

Synonyms : 3-Methylphenol

Formula :  $C_7H_8O$ 

Molecular weight : 108.14 g/mol CAS-No. : 108-39-4 EC-No. : 203-577-9 Index-No. : 604-004-00-9

Component		Classification	Concentration
meta-Cresol			
CAS-No. EC-No. Index-No.	108-39-4 203-577-9 604-004-00-9	Acute Tox. 3; Skin Corr. 1B; Eye Dam. 1; Aquatic Chronic 3; H301, H311, H314, H318, H412	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

### **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Call in physician.

SIGALD- C85727 Page 3 of 15

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible. Do not attempt to neutralise.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed No data available

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

### Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

## 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

#### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### 5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

SIGALD- C85727 Page 4 of 15

#### 6.2 Environmental precautions

Do not let product enter drains.

## 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

#### 6.4 Reference to other sections

For disposal see section 13.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

#### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

#### Storage class

Storage class (TRGS 510): 6.1A: Combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

#### Ingredients with workplace control parameters

# **Derived No Effect Level (DNEL)**

Delived No Ellect Level (DNLL)			
Application Area	Routes of exposure	Health effect	Value
	Texposure		
Worker DNEL,	inhalation	Systemic effects	3.5 mg/m3
longterm			
Worker DNEL,	inhalation	Local effects	0.9 mg/m3
longterm			
Worker DNEL,	inhalation	Systemic effects	343 mg/m3
acute			

SIGALD- C85727 Page 5 of 15



Worker DNEL, acute	inhalation	Local effects	0.9 mg/m3
Worker DNEL, longterm	dermal	Systemic effects	
Worker DNEL, acute	dermal	Systemic effects	
Consumer DNEL, longterm	inhalation	Systemic effects	0.75 mg/m3
Consumer DNEL, longterm	inhalation	Local effects	0.9 mg/m3
Consumer DNEL, acute	inhalation	Systemic effects	222 mg/m3
Consumer DNEL, longterm	dermal	Systemic effects	
Consumer DNEL, acute	dermal	Systemic effects	
Consumer DNEL, longterm	oral	Systemic effects	
Consumer DNEL, acute	oral	Systemic effects	

**Predicted No Effect Concentration (PNEC)** 

i realistica ito Enesti concentration (i itze)		
Compartment	Value	
Soil	0.0831 mg/kg	
Sewage treatment plant	1.14 mg/l	
Fresh water	0.1 mg/l	
Fresh water sediment	0.71 mg/kg	
Sea water	0.01 mg/l	
Sea sediment	0.071 mg/kg	
Aquatic intermittent release	0.076 mg/l	

## 8.2 Exposure controls

## **Personal protective equipment**

## **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

#### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Chloroprene

Minimum layer thickness: 0.65 mm Break through time: 480 min Material tested: KCL 720 Camapren®

SIGALD- C85727 Page 6 of 15

A

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Latex gloves

Minimum layer thickness: 0.6 mm Break through time: 60 min

Material tested:Lapren® (KCL 706 / Aldrich Z677558, Size M)

# **Body Protection**

protective clothing

## **Respiratory protection**

Recommended Filter type: Filter A-(P3)

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### Control of environmental exposure

Do not let product enter drains.

## **SECTION 9: Physical and chemical properties**

### Information on basic physical and chemical properties

a) Physical state liquid

b) Color colorless, light yellow

c) Odor phenol-like

d) Melting Melting point/range: 8 - 10 °C - lit.

point/freezing point

e) Initial boiling point 203 °C - lit.

and boiling range

Flammability (solid, No data available f)

gas)

Upper explosion limit: 1.35 %(V) g) Upper/lower flammability or Lower explosion limit: 1.06 %(V)

explosive limits

h) Flash point 86 °C - closed cup

559 °C Autoignition temperature at 1,013 hPa

No data available Decomposition

temperature

No data available k) рΗ

Viscosity, kinematic: No data available Viscosity

SIGALD- C85727 Page 7 of 15



Viscosity, dynamic: 6.18 mPa.s at 40 °C20.8 mPa.s at 20 °C

m) Water solubility 22.7 g/l at 25 °C

n) Partition coefficient: log Pow: 1.96 - Bioaccumulation is not expected.

n-octanol/water

o) Vapor pressure < 1 hPa at 20 °C

p) Density 1.034 g/cm3 at 25 °C - lit.

Relative density 1.03 at 20 °C

q) Relative vapor 3.73 - (Air = 1.0)

density

r) Particle No data available

characteristics

s) Explosive properties No data available

t) Oxidizing properties none

## 9.2 Other safety information

Dissociation constant 10.09 at 25 °C

Relative vapor 3.73 - (Air = 1.0)

density

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

## 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

## 10.3 Possibility of hazardous reactions

Violent reactions possible with:

Strong oxidizing agents

Nitric acid

fuming sulfuric acid

chlorosulfonic acid

alkalines

Iron

Lead

### 10.4 Conditions to avoid

Strong heating.

### 10.5 Incompatible materials

No data available

SIGALD- C85727 Page 8 of 15

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

## **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

#### **Acute toxicity**

LD50 Oral - Rat - male - 242 mg/kg

(OECD Test Guideline 401)

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of

perforation of the esophagus and the stomach.

Acute toxicity estimate Oral - 242 mg/kg

(ATE value derived from LD50/LC50 value)

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of

respiratory tract

LD50 Dermal - Rabbit - 620 mg/kg

Remarks: Behavioral:Somnolence (general depressed activity).

Behavioral:Tetany.

(RTECS)

Acute toxicity estimate Dermal - 620 mg/kg (ATE value derived from LD50/LC50 value)

## Skin corrosion/irritation

Skin - Rabbit

Result: Causes burns. - 24 h

Remarks: (ECHA)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

#### Serious eye damage/eye irritation

Remarks: Causes serious eye damage.

#### Respiratory or skin sensitization

No data available

#### Germ cell mutagenicity

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Test system: Chinese hamster lung cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: positive

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

SIGALD- C85727 Page 9 of 15



Test Type: Chromosome aberration test

Species: Mouse

Cell type: Bone marrow Application Route: Oral

Method: OECD Test Guideline 475

Result: negative

Carcinogenicity

No data available

## Reproductive toxicity

No data available

## Specific target organ toxicity - single exposure

No data available

## Specific target organ toxicity - repeated exposure

No data available

## **Aspiration hazard**

No data available

#### 11.2 Additional Information

# **Endocrine disrupting properties**

#### **Product:**

Assessment The substance/mixture does not contain

components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Repeated dose toxicity - Rat - male - Oral - 13 Weeks - NOAEL (No observed adverse effect level) - 50 mg/kg

RTECS: GO6125000

been thoroughly investigated.

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough, Shortness of breath, Headache, Nausea To the best of our knowledge, the chemical, physical, and toxicological properties have not

After absorption:

Systemic effects:

Headache Nausea Vomiting Dizziness agitation, spasms respiratory arrest Unconsciousness

Damage to:

SIGALD- C85727 Page 10 of 15

Central nervous system Liver Kidney

This substance should be handled with particular care.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Toxicity to fish static test LC50 - Salvelinus fontinalis - 7.6 mg/l - 96 h

Remarks: (ECHA)

static test LC50 - Oncorhynchus mykiss (rainbow trout) - 8.6 mg/l -

96 h

Remarks: (ECHA)

static test LC50 - Salmo trutta (brown trout) - 8.4 mg/l - 96 h

Remarks: (ECHA)

Toxicity to daphnia and other aquatic invertebrates

flow-through test EC50 - Daphnia pulicaria - > 99.5 mg/l - 48 h

(US-EPA)

Toxicity to

flow-through test NOEC - Pimephales promelas (fathead minnow) -

fish(Chronic toxicity) 1.35 mg/l - 32 d

(OECD Test Guideline 210)

Remarks: The value is given in analogy to the following substances:

p-cresol

Toxicity to daphnia and other aquatic invertebrates (Chronical Chronical Chr

semi-static test NOEC - Daphnia magna (Water flea) - 1 mg/l - 21 d

Remarks: (ECHA)

invertebrates(Chronic The value is given in analogy to the following substances: p-cresol

toxicity)

## 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 10 d

Result: 96 % - Inherently biodegradable.

(OECD Test Guideline 302B)

#### 12.3 Bioaccumulative potential

Bioaccumulation Leuciscus idus (Golden orfe) - 3 d

- 0.05 mg/l(meta-Cresol)

Bioconcentration factor (BCF): 17 - 20

## 12.4 Mobility in soil

No data available

SIGALD- C85727 Page 11 of 15



#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# 12.6 Endocrine disrupting properties

#### **Product:**

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

Biological effects:

Hazard for drinking water supplies.

Change in the flavour characteristics of fish protein. Discharge into the environment must be avoided.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

No data available

#### **SECTION 14: Transport information**

14.1 UN number

ADR/RID: 2076 IMDG: 2076 IATA: 2076

14.2 UN proper shipping name

ADR/RID: CRESOLS, LIQUID IMDG: CRESOLS, LIQUID IATA: Cresols, liquid

14.3 Transport hazard class(es)

ADR/RID: 6.1 (8) IMDG: 6.1 (8) IATA: 6.1 (8)

14.4 Packaging group

ADR/RID: II IMDG: II IATA: II

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

Further information : No data available

SIGALD- C85727 Page 12 of 15

M

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

## Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

## **15.2 Chemical Safety Assessment**

A Chemical Safety Assessment has been carried out for this substance.

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H412	Harmful to aquatic life with long lasting effects.

SIGALD- C85727 Page 13 of 15



#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. -Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

SIGALD- C85727 Page 14 of 15

M

SIGALD- C85727 Page 15 of 15

