www.sigmaaldrich.com

Sigma-Aldrich

## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 8.4 Revision Date 06.06.2023 Print Date 23.11.2024 GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1 Product identifiers Product name : Cyclohexanol

:	105899
:	Sigma-Aldrich
:	603-009-00-3
:	01-2119447488-26-XXXX
:	108-93-0
	:

## **1.2** Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

**1.3** Details of the supplier of the safety data sheet

Company

- **1.4 Emergency telephone** Emergency Phone # : +(4 +(3
  - : +(44)-870-8200418 (CHEMTREC (GB)) +(353)-19014670 (CHEMTREC Ireland) 001-803-017-9114 (CHEMTREC India)

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

## Classification according to Regulation (EC) No 1272/2008

Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332 Acute toxicity, Dermal (Category 4), H312 Skin irritation (Category 2), H315 Eye irritation (Category 2), H319 Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335 Long-term (chronic) aquatic hazard (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 Label elements

## Labelling according Regulation (EC) No 1272/2008

Sigma-Aldrich- 105899

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 1 of 13

Pictogram		
Signal Word	Warning	
Hazard statement(s) H302 + H312 + H332 H315 H319 H335 H412	Harmful if swallowed, in contact with skin or if inhaled. Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation. Harmful to aquatic life with long lasting effects.	
Precautionary statement(s)		
P273 P280	Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection.	
P301 + P312	IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell.	
P302 + P352 + P312	IF ON SKIN: Wash with plenty of water.Call a POISON CENTER/ doctor if you feel unwell.	
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.	
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
Supplemental Hazard Statements	none	
Reduced Labeling (<= 125 ml)		
Pictogram		
Signal Word	Warning	
Hazard statement(s) H412	Harmful to aquatic life with long lasting effects.	
Precautionary statement(s)	none	

Supplemental Hazard none Statements

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Formula	:	C6H12O
Molecular weight	:	100.16 g/mol

Sigma-Aldrich- 105899

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 2 of 13



CAS-No. EC-No. Index-No.	: 108-93-0 : 203-630-6 : 603-009-00-3		
Component		Classification	Concentration
Cyclohexanol CAS-No. EC-No. Index-No.	108-93-0 203-630-6 603-009-00-3	Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2; STOT SE 3; Aquatic Chronic 3; H302, H332, H312, H315, H319, H335, H412	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

## SECTION 4: First aid measures

#### 4.1 Description of first-aid measures

#### **General advice**

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

#### **4.2 Most important symptoms and effects, both acute and delayed** The most important known symptoms and effects are described in the labelling (see section

2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

**Suitable extinguishing media** Carbon dioxide (CO2) Foam Dry powder

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Sigma-Aldrich- 105899

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 3 of 13



### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

#### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### 5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6:** Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
- **6.2 Environmental precautions** Do not let product enter drains.
- 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

**6.4 Reference to other sections** For disposal see section 13.

## SECTION 7: Handling and storage

## 7.1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

## Storage conditions

Tightly closed.

hygroscopic

Sigma-Aldrich- 105899

The life science business of Merck operates as MilliporeSigma in the US and Canada

A

Page 4 of 13

### Storage class

Storage class (TRGS 510): 10: Combustible liquids

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Ingredients with workplace control parameters

#### 8.2 Exposure controls

#### Personal protective equipment

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

#### **Skin protection**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Nitrile rubber Minimum layer thickness: 0.4 mm Break through time: 480 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact Material: Chloroprene Minimum layer thickness: 0.65 mm Break through time: 240 min Material tested:KCL 720 Camapren®

#### **Body Protection**

protective clothing

#### **Respiratory protection**

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

## **Control of environmental exposure**

Do not let product enter drains.

Sigma-Aldrich- 105899

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 5 of 13

## SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties

	••••••••••••••••••••••••••••••••••••••	
a)	Physical state	liquid
b)	Color	No data available
c)	Odor	No data available
d)	Melting point/freezing point	Melting point: 25.4 °C
e)	Initial boiling point and boiling range	160 - 161 °C - lit.
f)	Flammability (solid, gas)	No data available
g)	Upper/lower flammability or explosive limits	Upper explosion limit: 12.25 %(V) Lower explosion limit: 1.25 %(V)
h)	Flash point	64 °C - closed cup - DIN 51794
i)	Autoignition temperature	285 °C at 1,013.25 hPa - DIN 51794
j)	Decomposition temperature	No data available
k)	рН	6.5 at 40 g/l at 20 °C
I)	Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: 53.3 mPa.s at 27 °C
m)	Water solubility	37.6 g/l at 25.1 °C - soluble
n)	Partition coefficient: n-octanol/water	log Pow: 1.25 at 25 °C - OECD Test Guideline 107 - Bioaccumulation is not expected.
o)	Vapor pressure	1.1 hPa at 25 °C - OECD Test Guideline 104
p)	Density	0.948 g/cm3 at 25 °C - lit.
	Relative density	No data available
q)	Relative vapor density	No data available
r)	Particle characteristics	No data available

- s) Explosive properties No data available
- t) Oxidizing properties none

## 9.2 Other safety information

Sigma-Aldrich- 105899

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 6 of  $13\,$ 



Surface tension 66.87 mN/m at 1.4g/l at 25 °C

Relative vapor 4.01 density

#### **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical.

#### **10.2 Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature) .

#### **10.3 Possibility of hazardous reactions** No data available

**10.4 Conditions to avoid** Strong heating.

- **10.5 Incompatible materials** No data available
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - 1,400 mg/kg Remarks: Behavioral:Somnolence (general depressed activity). Lungs, Thorax, or Respiration:Other changes. Nutritional and Gross Metabolic:Weight loss or decreased weight gain. (RTECS) Acute toxicity estimate Oral - 1,400 mg/kg (ATE value derived from LD50/LC50 value) Acute toxicity estimate Inhalation - 4 h - 11 mg/l - vapor

(Expert judgment) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) Acute toxicity estimate Dermal - 1,500 mg/kg (Expert judgment) Remarks: (ECHA)

#### Skin corrosion/irritation

Skin - Rabbit Result: Skin irritation - 24 h Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

#### Serious eye damage/eye irritation

Eyes - Rabbit Result: Causes serious eye irritation.

Sigma-Aldrich- 105899

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 7 of 13

(OECD Test Guideline 405)

**Respiratory or skin sensitization** Maximization Test - Guinea pig Result: negative (OECD Test Guideline 406)

#### Germ cell mutagenicity

Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Remarks: (IUCLID)

Species: Mouse Cell type: Bone marrow Application Route: Oral Method: OECD Test Guideline 474 Result: negative

#### Carcinogenicity

No data available

#### **Reproductive toxicity** No data available

NO UALA AVAIIADIE

## Specific target organ toxicity - single exposure

May cause respiratory irritation. Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

#### **Specific target organ toxicity - repeated exposure** No data available

**Aspiration hazard** No data available

#### **11.2 Additional Information**

#### **Endocrine disrupting properties**

#### Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Repeated dose toxicity - Rat - male and female - Oral - 3 Months - NOAEL (No observed adverse effect level) - 143 mg/kg

Sigma-Aldrich- 105899

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 8 of 13

RTECS: GV7875000

prolonged or repeated exposure can cause:, Headache, Nausea, Tremors, Incoordination., burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Vomiting To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

#### **SECTION 12: Ecological information**

#### **12.1 Toxicity**

	•	
	Toxicity to fish	flow-through test LC50 - Pimephales promelas (fathead minnow) - 704 mg/l - 96 h (US-EPA)
	Toxicity to daphnia and other aquatic invertebrates	semi-static test EC50 - Daphnia magna (Water flea) - 17 mg/l - 48 h (OECD Test Guideline 202)
	Toxicity to algae	static test ErC50 - Desmodesmus subspicatus (green algae) - > 500 mg/l - 96 h (DIN 38412)
		static test NOEC - Desmodesmus subspicatus (green algae) - 0.03 mg/l - 96 h (DIN 38412)
	Toxicity to bacteria	static test NOEC - activated sludge - 1,995 mg/l - 30 min (OECD Test Guideline 209)
	Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)	semi-static test NOEC - Daphnia magna (Water flea) - 0.953 mg/l - 21 d (OECD Test Guideline 211)
		semi-static test EC50 - Daphnia magna (Water flea) - 0.953 mg/l - 21 d (OECD Test Guideline 211)
12.2	Persistence and deg Biodegradability	radability aerobic - Exposure time 28 d Result: 94 - 99 % - Readily biodegradable. (OECD Test Guideline 301C)
12.3	<b>Bioaccumulative pot</b> No data available	ential
12.4	<b>Mobility in soil</b> No data available	
12 E	Beculte of DPT and y	DVP accomment

## 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties <u>Product:</u>

Sigma-Aldrich- 105899

The life science business of Merck operates as MilliporeSigma in the US and Canada

A

Page 9 of 13

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## 12.7 Other adverse effects

No data available

## SECTION 13: Disposal considerations

**13.1 Waste treatment methods** No data available

SECTION 14: Transport information			
14.1 UN number ADR/RID:		IMDG: -	IATA: -
	r shipping name Not dangerous goo Not dangerous goo Not dangerous goo	ods	
14.3 Transport ADR/RID:	t hazard class(es) -	IMDG: -	IATA: -
14.4 Packaging ADR/RID:		IMDG: -	IATA: -
14.5 Environm ADR/RID:		IMDG Marine pollutant: no	IATA: no
14.6 Special pr	recautions for use	er	
Further in	formation :	No data available	

## SECTION 15: Regulatory information

# **15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### Authorisations and/or restrictions on use

#### **Other regulations**

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Sigma-Aldrich- 105899

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 10 of 13

Take note of Dir 94/33/EC on the protection of young people at work.

#### **15.2 Chemical Safety Assessment**

For this product a chemical safety assessment was not carried out

## **SECTION 16: Other information**

## Full text of H-Statements referred to under sections 2 and 3.

H302 H302 + H312 + H332	Harmful if swallowed. Harmful if swallowed, in contact with skin or if inhaled.
H312	Harmful if swallowed, in contact with skin or if inhaled.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	May cause respiratory irritation.
H335	Harmful to aquatic life with long lasting effects.
H412	Harmful in contact with skin.

Sigma-Aldrich- 105899

The life science business of Merck operates as MilliporeSigma in the US and Canada

P-A

Page 11 of 13

#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Sigma-Aldrich- 105899

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 12 of 13

Sigma-Aldrich- 105899

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 13 of 13