www.sigmaaldrich.com

Sigma-Aldrich.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 8.4 Revision Date 02.01.2025 Print Date 20.04.2025 GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

| Product name | [:] Cyclohexanone |
|----------------|----------------------------|
| Product Number | : 398241 |
| Brand | : Sigma-Aldrich |
| Index-No. | : 606-010-00-7 |
| REACH No. | : 01-2119453616-35-XXXX |
| CAS-No. | : 108-94-1 |

1.2 Relevant identified uses of the substance or mixture and uses advised against Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheetCompany :


1.4 Emergency telephone

| Emergency Phone # | : +(44)-870-8200418 (CHEMTREC (GB)) |
|-------------------|-------------------------------------|
| | +(353)-19014670 (CHEMTREC Ireland) |
| | 001-803-017-9114 (CHEMTREC India) |

SECTION 2: Hazards identification

| 2.1 | Classification of the substance or Flammable liquids, (Category 3) | mixture H226: Flammable liquid and vapor. |
|-----|--|---|
| | Acute toxicity, (Category 4) | H302: Harmful if swallowed. |
| | Acute toxicity, (Category 4) | H332: Harmful if inhaled. |
| | Acute toxicity, (Category 4) | H312: Harmful in contact with skin. |
| | Skin irritation, (Category 2) | H315: Causes skin irritation. |
| | Serious eye damage, (Category 1) | H318: Causes serious eye damage. |
| | Specific target organ toxicity - single exposure, (Category 3), Respiratory system | H335: May cause respiratory irritation. |

Sigma-Aldrich- 398241



2.2 Label elements

Labelling according Regulation (EC) No 1272/2008 Pictogram

| Signal Word | Danger |
|---|--|
| Hazard Statements H226 H302 + H312 + H332 H315 H318 H335 | Flammable liquid and vapor. Harmful if swallowed, in contact with skin or if inhaled. Causes skin irritation. Causes serious eye damage. May cause respiratory irritation. |
| Precautionary Statements P210 | Keep away from heat, hot surfaces, sparks, open flames and |
| | other ignition sources. No smoking. |
| P280 | Wear protective gloves/ protective clothing/ eye protection/ face protection. |
| P301 + P312 | IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. |
| P303 + P361 + P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. |
| P304 + P340 + P312 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. |
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| Supplemental Hazard Statements | none |
| Reduced Labeling (<= 1 Pictogram | 25 ml) |

Keaucea Pictogram

| Signal Word | Danger |
|--|--|
| Hazard Statements H318 | Causes serious eye damage. |
| Precautionary Statements P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| Supplemental Hazard Statements | none |

2.3 **Other hazards**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

Sigma-Aldrich- 398241

Page 2 of 12



The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

| Formula | : | $C_6H_{10}O$ |
|------------------|---|--------------|
| Molecular weight | : | 98.14 g/mol |
| CAS-No. | : | 108-94-1 |
| EC-No. | : | 203-631-1 |
| Index-No. | : | 606-010-00-7 |
| | | |

| Component | | Classification | Concentration |
|--------------------------------|---------------------------------------|--|---------------|
| Cyclohexanone | | | |
| CAS-No. EC-No. Index-No. | 108-94-1 203-631-1 606-010-00-7 | Flam. Liq. 3; Acute Tox. 4; Skin Irrit. 2; Eye Dam. 1; STOT SE 3; H226, H302, H332, H312, H315, H318, H335 | <= 100 % |

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

Sigma-Aldrich- 398241

Page 3 of 12



SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2) Foam Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air at elevated temperatures. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions Do not let product enter drains. Risk of explosion.

6.3 Methods and materials for containment and cleaning up Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

Sigma-Aldrich- 398241

Page 4 of 12



7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Storage class

Storage class (TRGS 510): 3: Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: butyl-rubber Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Butoject® (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact Material: Viton® Minimum layer thickness: 0.7 mm Break through time: 120 min Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M)

Body Protection

Flame retardant antistatic protective clothing.

Respiratory protection

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds

Sigma-Aldrich- 398241

Page 5 of 12



The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties

| a) | Physical state | clear, liquid |
|----------------------|--|---|
| b) | Color | colorless, to, light yellow |
| c) | Odor | stinging |
| d) | Melting point/freezing point | Melting point/ range: -47 °C - lit. |
| e) | Initial boiling point and boiling range | 155 °C - lit. |
| f) | Flammability (solid, gas) | No data available |
| g) | Upper/lower flammability or explosive limits | Upper explosion limit: 9.4 %(V) Lower explosion limit: 1.1 %(V) |
| h) | Flash point | 44 °C - closed cup |
| i) | Autoignition temperature | 420 °C at 1,013 hPa |
| j) | Decomposition temperature | No data available |
| k) | рН | ca.7 at 70 g/l at 20 °C |
| I) | Viscosity | Viscosity, kinematic: No data available Viscosity, dynamic: 2.2 mPa.s at 25 °C |
| | | |
| m) | Water solubility | 86 g/l at 20 °C |
| m) n) | Water solubility Partition coefficient: n-octanol/water | |
| | Partition coefficient: | 86 g/l at 20 °C |
| n) | Partition coefficient: n-octanol/water | 86 g/l at 20 °C log Pow: 0.86 at 25 °C - Bioaccumulation is not expected. |
| n) o) | Partition coefficient: n-octanol/water Vapor pressure | 86 g/l at 20 °C log Pow: 0.86 at 25 °C - Bioaccumulation is not expected. ca.7 hPa at 30 °C |
| n) o) | Partition coefficient: n-octanol/water Vapor pressure Density | 86 g/l at 20 °C log Pow: 0.86 at 25 °C - Bioaccumulation is not expected. ca.7 hPa at 30 °C 0.947 g/cm3 at 25 °C - lit. |
| n) o) p) q) | Partition coefficient: n-octanol/water Vapor pressure Density Relative density Relative vapor | 86 g/l at 20 °C log Pow: 0.86 at 25 °C - Bioaccumulation is not expected. ca.7 hPa at 30 °C 0.947 g/cm3 at 25 °C - lit. No data available |

t) Oxidizing properties none

Sigma-Aldrich- 398241

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 6 of 12

9.2 Other safety information

Surface tension 35.05 mN/m at 20 °C

Relative vapor 3.39 - (Air = 1.0) density

SECTION 10: Stability and reactivity

10.1 Reactivity

Vapor/air-mixtures are explosive at intense warming.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Risk of explosion with: Nitric acid hydrogen peroxide Oxidizing agents mineral acids

10.4 Conditions to avoid Heating.

- **10.5 Incompatible materials** No data available
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity


LD50 Oral - Rat - male - 1,620 mg/kg Remarks: (ECHA) Symptoms: Stomach/intestinal disorders, Risk of aspiration upon vomiting., Aspiration may cause pulmonary edema and pneumonitis. Acute toxicity estimate Oral - 1,620 mg/kg (ATE value derived from LD50/LC50 value) LC50 Inhalation - Rat - male and female - 4 h - > 6.2 mg/l - vapor

Remarks: (ECHA) Symptoms: In high doses:, Irritation symptoms in the respiratory tract. LD50 Dermal - Rabbit - 1,100 mg/kg Remarks: (External MSDS) Acute toxicity estimate Dermal - 1,100 mg/kg (ATE value derived from LD50/LC50 value)

Skin corrosion/irritation

Skin - Rabbit Result: Irritating to skin. - 4 h (OECD Test Guideline 404) Remarks: Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product.

Sigma-Aldrich- 398241



Serious eye damage/eye irritation

Eyes - In vitro study Result: Irreversible effects on the eye Remarks: (ECHA) Remarks: Risk of corneal clouding.

Respiratory or skin sensitization

Maximization Test - Guinea pig Result: negative Remarks: (ECHA)

Germ cell mutagenicity

Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: unscheduled DNA synthesis assay Test system: human diploid fibroblasts Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 482 Result: negative

Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow Application Route: Oral Method: OECD Test Guideline 474 Result: negative

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation. - Respiratory Tract

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

Endocrine disrupting properties

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU)

Sigma-Aldrich- 398241

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 8 of 12

Repeated dose toxicity - Rat - male and female - Oral - 3 Months - NOAEL (No observed adverse effect level) - 143 mg/kg

RTECS: GW1050000

Prolonged or repeated exposure to skin causes defatting and dermatitis., Cough, Shortness of breath, Headache, Nausea, Vomiting, Incoordination., Inhalation of high concentrations may cause:, Central nervous system depression, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Systemic effects:

After absorption of large quantities:

Headache Salivation Nausea Vomiting Dizziness narcosis Coma

The following applies to ketones in general: when vapours/aerosols occur, mucosal irritations, coughing, and dyspnoea after inhalation. The absorption of large quantities leads to: CNS depression (narcosis). Repeated skin contact leads to a degreasing effect, with secondary inflammation possible. Toxic effects on the liver and kidneys cannot be excluded after high doses. The inhalation of droplets may result in the formation of oedemas in the respiratory tract.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish flow-through test LC50 - Pimephales promelas (fathead minnow) -527 - 732 mg/l - 96 h (OECD Test Guideline 203)

Toxicity to bacteria

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d Result: 90 - 100 % - Readily biodegradable. (OECD Test Guideline 301F)

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent,

Sigma-Aldrich- 398241

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 9 of 12

bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties <u>Product:</u>

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

| SECTION 13: Disposal considerations | | |
|--|---------------------------|------------|
| 13.1 Waste treatment methods No data available | | |
| SECTION 14: Transport informat | tion | |
| 14.1 UN number ADR/RID: 1915 | IMDG: 1915 | IATA: 1915 |
| 14.2UN proper shipping name ADR/RID:ADR/RID:CYCLOHEXANONE IMDG:IMDG:CYCLOHEXANONE IATA:Cyclohexanone | | |
| 14.3 Transport hazard class(es) ADR/RID: 3 | IMDG: 3 | IATA: 3 |
| 14.4 Packaging group ADR/RID: III | IMDG: III | IATA: III |
| 14.5 Environmental hazards ADR/RID: no | IMDG Marine pollutant: no | IATA: no |
| 14.6 Special precautions for user | | |
| Further information : | No data available | |

SECTION 15: Regulatory information


15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

National legislation

Seveso III: Directive 2012/18/EU of the P5c FLAMMABLE LIQUIDS European Parliament and of the Council

Sigma-Aldrich- 398241



on the control of major-accident hazards involving dangerous substances.

Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Full text of H-Statements

- Flammable liquid and vapor. H226
- H302 Harmful if swallowed. Harmful in contact with skin. H312 Causes skin irritation.
- H315 H318
- Causes serious eye damage.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.

Sigma-Aldrich- 398241

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 11 of 12

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. -Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Sigma-Aldrich- 398241



Page 12 of 12