www.sigmaaldrich.com

Sigma-Aldrich.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 8.4 Revision Date 07.03.2024 Print Date 13.07.2024 GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifiers Product name	:	Nitrobenzene
	Product Number Brand Index-No. REACH No. CAS-No.	:	252379 SIGALD 609-003-00-7 01-2119449806-28-XXXX 98-95-3

1.2 Relevant identified uses of the substance or mixture and uses advised against Identified uses : Laboratory chemicals, Manufacture of substances

- **1.3 Details of the supplier of the safety data sheet**Company :
- **1.4 Emergency telephone**

Emergency Phone #	:	+(44)-870-8200418 (CHEMTREC (GB))
		+(353)-19014670 (CHEMTREC Ireland)
		001-803-017-9114 (CHEMTREC India)

SECTION 2: Hazards identification

2.1	Classification of the substance or Acute toxicity, (Category 3)	mixture H301: Toxic if swallowed.
	Acute toxicity, (Category 3)	H331: Toxic if inhaled.
	Acute toxicity, (Category 3)	H311: Toxic in contact with skin.
	Carcinogenicity, (Category 2)	H351: Suspected of causing cancer.
	Reproductive toxicity, (Category 1B)	H360F: May damage fertility.
	Specific target organ toxicity -	H372: Causes damage to organs through

SIGALD- 252379

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 1 of 15

repeated exposure, (Category 1), Blood prolonged or repeated exposure if inhaled.

Long-term (chronic) aquatic hazard, (Category 3)

H412: Harmful to aquatic life with long lasting effects.


2.2 Label elements

Labelling according Regulation (EC) No 1272/2008 Pictogram			
Signal Word	Danger		
Hazard Statements H301 + H311 + H331 H351 H360F H372 H412	Toxic if swallowed, in contact with skin or if inhaled. Suspected of causing cancer. May damage fertility. Causes damage to organs (Blood) through prolonged or repeated exposure if inhaled.		
	Harmful to aquatic life with long lasting effects.		
Precautionary Statements P202	Do not handle until all safety precautions have been read and understood.		
P273 P280	Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection.		
P301 + P310 P302 + P352 + P312	IF SWALLOWED: Immediately call a POISON CENTER/ doctor. IF ON SKIN: Wash with plenty of water.Call a POISON CENTER/ doctor if you feel unwell.		
P304 + P340 + P311	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor.		
Supplemental Hazard Statements	none		
	Restricted to professional users.		
Reduced Labeling (<= 1 Pictogram	25 ml)		
Signal Word	Danger		
Hazard Statements H351	Suspected of causing cancer.		

H351	Suspected of causing cancer.
H372	Causes damage to organs through prolonged or repeated
	exposure if inhaled.
H412	Harmful to aquatic life with long lasting effects.
H360F	May damage fertility.
H301 + H311 + H331	Toxic if swallowed, in contact with skin or if inhaled.

SIGALD- 252379

The life science business of Merck operates as MilliporeSigma in the US and Canada



Precautionary Statements	
P202	Do not handle until all safety precautions have been read and understood.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P302 + P352 + P312	IF ON SKIN: Wash with plenty of water.Call a POISON CENTER/ doctor if you feel unwell.
P304 + P340 + P311	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor.
Supplemental Hazard Statements	none

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Rapidly absorbed through skin.

SECTION 3: Composition/information on ingredients

3.1 Substances

Formula	:	$C_6H_5NO_2$
Molecular weight	:	123.11 g/mol
CAS-No.	:	98-95-3
EC-No.	:	202-716-0
Index-No.	:	609-003-00-7

Component		Classification	Concentration	
Nitrobenzene Included in the Candidate List of Substances of Very High Concern (SVHC)				
according to Regula	tion (EC) No. 1907/2006	(REACH)		
CAS-No.	98-95-3	Acute Tox. 3; Carc. 2;	<= 100 %	
EC-No.	202-716-0	Repr. 1B; STOT RE 1;		
Index-No.	609-003-00-7	Aquatic Chronic 3; H301,		
		H331, H311, H351,		
		H360F, H372, H412		

For the full text of the H-Statements mentioned in this Section, see Section 16.

SIGALD- 252379

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 3 of 15

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as guickly as possible.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx) Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

SIGALD- 252379

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 4 of 15

5.4 Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Store under nitrogen.

Storage class

Storage class (TRGS 510): 6.1A: Combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SIGALD- 252379

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 5 of 15

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: butyl-rubber Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Butoject® (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact Material: Latex gloves Minimum layer thickness: 0.6 mm Break through time: 30 min Material tested:Lapren® (KCL 706 / Aldrich Z677558, Size M)

Body Protection

protective clothing

Respiratory protection

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

SIGALD- 252379

Page 6 of 15

The life science business of Merck operates as MilliporeSigma in the US and Canada



SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties

Inf	ormation on basic pl	nysical and chemical properties
a)	Physical state	liquid, oily
b)	Color	colorless, yellow
c)	Odor	pungent
d)	Melting point/freezing point	Melting point/range: 5 - 6 °C - lit.
e)	Initial boiling point and boiling range	210 - 211 °C - lit.
f)	Flammability (solid, gas)	No data available
g)	Upper/lower flammability or explosive limits	Upper explosion limit: 40 %(V) Lower explosion limit: 1.8 %(V)
h)	Flash point	88 °C - c.c.
i)	Autoignition temperature	480 °C at 1,013 hPa - DIN 51794
j)	Decomposition temperature	> 380 °C
k)	рН	8.0 - 8.5 at 1.00000 g/l at 20.0 °C
I)	Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: 2.03 mPa.s at 20 °C
m)	Water solubility	1.9 g/l at 20 °C - Regulation (EC) No. 440/2008, Annex, A.6
n)	Partition coefficient: n-octanol/water	log Pow: 1.86 at 24.5 °C - Bioaccumulation is not expected.
o)	Vapor pressure	0.2 hPa at 20 °C
p)	Density	1.196 g/cm3 at 25 °C - lit.
	Relative density	1.2 at 20 °C
q)	Relative vapor density	4.1
r)	Particle characteristics	No data available
c)	Evalocivo proportios	No data available

- s) Explosive properties No data available
- t) Oxidizing properties none

9.2 Other safety information

Surface tension 43.4 mN/m at 20.0 °C

SIGALD- 252379

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 7 of 15



SECTION 10: Stability and reactivity

10.1 Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Risk of explosion with: Alkali metals bases aluminium chloride ammonium nitrate anilines chlorosulfonic acid glycerol Potassium sodium Sodium hydroxide Potassium hydroxide nitrating acid fuming sulfuric acid Strong oxidizing agents perchlorates Peroxides Reducing agents Nitric acid conc. sulfuric acid nitrogen oxides sodium chlorate peroxodisulfuric acid phosphorus pentachloride silver perchlorate tetranitromethane uranium perchlorate phenol with aluminium chloride Generates dangerous gases or fumes in contact with: hvdrides metallic chlorides Heat. Violent reactions possible with: organometallic compounds

10.4 Conditions to avoid

Strong heating.

SIGALD- 252379

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 8 of 15



10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Acute toxicity estimate Oral - 100 mg/kg (Expert judgment) Remarks: Blood: Methemoglobinemia-Carboxyhemoglobin. (Regulation (EC) No 1272/2008, Annex VI) LC50 Inhalation - Rat - 4 h - 2.81 mg/l - vapor

Remarks: Sense Organs and Special Senses (Nose, Eye, Ear, and Taste): Eye: Lacrimation. Behavioral:Tremor. (RTECS) Acute toxicity estimate Inhalation - 2.81 mg/l - vapor

(ATE value derived from LD50/LC50 value) LD50 Dermal - Rabbit - 760 mg/kg Remarks: (ECHA) Acute toxicity estimate Dermal - 760 mg/kg (ATE value derived from LD50/LC50 value)

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 24 h Remarks: (ECHA)

Serious eye damage/eye irritation

Eves - Rabbit Result: No eye irritation Remarks: (ECHA)

Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse Result: negative (OECD Test Guideline 429)

Germ cell mutagenicity

Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Result: negative Remarks: (ECHA)

Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow Application Route: Intraperitoneal injection

SIGALD- 252379

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 9 of 15



Method: OECD Test Guideline 474 Result: negative

Test Type: unscheduled DNA synthesis assay Species: Rat Cell type: Liver cells Application Route: Oral Method: OECD Test Guideline 486 Result: negative

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

May damage fertility.

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure

Inhalation - Causes damage to organs through prolonged or repeated exposure. - Blood

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Aspiration hazard

No data available

11.2 Additional Information

Endocrine disrupting properties

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Repeated dose toxicity - Rat - male and female - Oral - 28 d - LOAEL (Lowest observed adverse effect level) - 5 mg/kg Remarks: (ECHA)

RTECS: DA6475000

Absorption into the body leads to the formation of methemoglobin which in sufficient concentration causes cyanosis. Onset may be delayed 2 to 4 hours or longer., Exposure to and/or consumption of alcohol may increase toxic effects.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish

flow-through test LC50 - Danio rerio (zebra fish) - 92 mg/l - 96 h

SIGALD- 252379

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 10 of 15

	(OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 35 mg/l - 48 h Remarks: (ECHA)
Toxicity to algae	static test ErC50 - Chlorella pyrenoidosa - 18 mg/l - 96 h (OECD Test Guideline 201)
Toxicity to bacteria	static test EC20 - activated sludge - 1,000 mg/l - 30 min (OECD Test Guideline 209)
Toxicity to fish(Chronic toxicity)	flow-through test LC50 - Oncorhynchus mykiss (rainbow trout) - 0.002 mg/l - 23 d Remarks: (ECHA)
Toxicity to daphnia	semi-static test NOEC - Daphnia magna (Water flea) - 2.6 mg/l - 21

Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)

12.2 Persistence and degradability

d

aerobic - Exposure time 28 d Result: 50 % - Readily biodegradable. (OECD Test Guideline 301F)

12.3 Bioaccumulative potential

Biodegradability

Bioaccumulation

Cyprinus carpio (Carp) - 42 d at 25 °C - 0.125 mg/l(Nitrobenzene)

Bioconcentration factor (BCF): 3.1 - 4.8 (OECD Test Guideline 305C)

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SIGALD- 252379

Page 11 of 15

The life science business of Merck operates as MilliporeSigma in the US and Canada



SECTION 13: Disposal considerations

13.1 Waste treatment methods

No data available

SECTION 14: Transport information			
14.1 UN number ADR/RID: 1662	IMDG: 1662	IATA: 1662	
14.2UN proper shipping name ADR/RID:ADR/RID:NITROBENZENEIMDG:NITROBENZENEIATA:Nitrobenzene			
14.3 Transport hazard class(es) ADR/RID: 6.1	IMDG: 6.1	IATA: 6.1	
14.4 Packaging group ADR/RID: II	IMDG: II	IATA: II	
14.5 Environmental hazards ADR/RID: yes	IMDG Marine pollutant: yes	IATA: no	
14.6 Special precautions for user			
Further information :	No data available		

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Authorisations and/or restrictions on us REACH - Candidate List of Substances of Ver High Concern for Authorisation (Article 59).	
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	: Nitrobenzene
National legislation Seveso III: Directive 2012/18/EU of the H European Parliament and of the Council	2 ACUTE TOXIC

SIGALD- 252379

The life science business of Merck operates as MilliporeSigma in the US and Canada

on the control of major-accident hazards

involving dangerous substances.

A

Page 12 of 15

Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements

H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H331	Toxic if inhaled.
H351	Suspected of causing cancer.
H360F	May damage fertility.
H372	Causes damage to organs through prolonged or repeated exposure if inhaled.
H412	Harmful to aquatic life with long lasting effects.

SIGALD- 252379

The life science business of Merck operates as MilliporeSigma in the US and Canada

A

Page 13 of 15

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

SIGALD- 252379

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 14 of 15

SIGALD- 252379

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 15 of 15