www.sigmaaldrich.com

Sigma-Aldrich

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 8.0 Revision Date 29.11.2022 Print Date 24.08.2024 GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifiers Product name	:	Potassium bromate
	Product Number Brand Index-No. REACH No. CAS-No.	:	309087 SIGALD 035-003-00-6 01-2119518844-34-XXXX 7758-01-2

**1.2** Relevant identified uses of the substance or mixture and uses advised against Identified uses : Laboratory chemicals, Manufacture of substances

**1.3 Details of the supplier of the safety data sheet**Company :

1.4	<b>Emergency telephone</b>		
	Emergency Phone #	:	+(44)-870-8200418 (CHEMTREC (GB)) +(353)-19014670 (CHEMTREC Ireland) 001-803-017-9114 (CHEMTREC India)

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

# Classification according to Regulation (EC) No 1272/2008

Oxidizing solids (Category 1), H271 Acute toxicity, Oral (Category 3), H301 Carcinogenicity (Category 1B), H350

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 Label elements

# Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal Word

Danger

Hazard statement(s) H271 H301 H350

May cause fire or explosion; strong oxidizer. Toxic if swallowed. May cause cancer.

SIGALD- 309087

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 1 of 11

Precautionary statement(s)	
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P220	Keep away from clothing and other combustible materials.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
Supplemental Hazard Statements	none
	Restricted to professional users.

# 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

# 3.1 Substances

Formula	:	BrKO₃
Molecular weight	:	167.00 g/mol
CAS-No.	:	7758-01-2
EC-No.	:	231-829-8
Index-No.	:	035-003-00-6

Component		Classification	Concentration
Potassium bromate	e		
CAS-No. EC-No. Index-No.	7758-01-2 231-829-8 035-003-00-6	Ox. Sol. 1; Acute Tox. 3; Carc. 1B; H271, H301, H350	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

# **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

#### **General advice**

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

SIGALD- 309087

Page 2 of 11



# If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

# 5.2 Special hazards arising from the substance or mixture

Hydrogen bromide gas Potassium oxides Not combustible. Has a fire-promoting effect due to release of oxygen. Ambient fire may liberate hazardous vapours.

#### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

# 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

# **SECTION 6:** Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
- **6.2 Environmental precautions** Do not let product enter drains.
- **6.3 Methods and materials for containment and cleaning up** Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.
- **6.4** Reference to other sections For disposal see section 13.

SIGALD- 309087

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 3 of 11

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture.

# Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition.

#### Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

# Storage conditions

Tightly closed. Keep locked up or in an area accessible only to qualified or authorized persons. Separately or together with other oxidising substances only and away from sources of ignition and heat.Because of their oxidation potential these products can raise the burning rate of combustible substances substantially or ignite combustible substances on contact with them.

#### Storage class

Storage class (TRGS 510): 5.1A: Strongly oxidizing hazardous materials

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Ingredients with workplace control parameters

# 8.2 Exposure controls

# Personal protective equipment

# Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

#### **Skin protection**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other

SIGALD- 309087

Page 4 of 11



substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

#### **Body Protection**

protective clothing

#### **Respiratory protection**

Recommended Filter type: Filter B-(P3)

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### **Control of environmental exposure**

Do not let product enter drains.

#### SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties

a)	Physical state	powder, finecrystalline
b)	Color	off-white
c)	Odor	odorless
d)	Melting point/freezing point	Melting point/range: 409 - 413 °C - OECD Test Guideline 102
e)	Initial boiling point and boiling range	> 425 °C at ca.1,023 hPa - OECD Test Guideline 103 - (decomposition)
f)	Flammability (solid, gas)	The product is not flammable Flammability (solids)
g)	Upper/lower flammability or explosive limits	No data available
h)	Flash point	Not applicable
i)	Autoignition temperature	No data available
j)	Decomposition temperature	370 °C
k)	рН	5.0 - 9.0 at 50 g/l at 20 °C
I)	Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
m)	Water solubility	ca.66 g/l at 20 °C - OECD Test Guideline 105- completely soluble
n)	Partition coefficient:	Not applicable for inorganic substances
SIGALD- 309	9087	Page 5 of 11



n-octanol/water

o) Vapor pressure Not applicable 3.13 g/cm3 at 20.7 °C - OECD Test Guideline 109 p) Density 3.13 at 20.7 °C - OECD Test Guideline 109 Relative density q) Relative vapor density r) Particle No data available characteristics s) Explosive properties No data available t) Oxidizing properties The substance or mixture is classified as oxidizing with the category 1. 9.2 **Other safety information** No data available **SECTION 10: Stability and reactivity 10.1 Reactivity** No data available 10.2 Chemical stability The product is chemically stable under standard ambient conditions (room temperature).

# **10.3** Possibility of hazardous reactions

Risk of explosion with: ammonium compounds arsenic bromates organic combustible substances phosphorus Powdered metals Sulfides sulfur carbon Risk of ignition or formation of inflammable gases or vapours with: semimetals nonmetals nonmetallic halides Reducing agents Exothermic reaction with: selenium Generates dangerous gases or fumes in contact with: acids Violent reactions possible with: sulfuric acid Cyanides

# **10.4** Conditions to avoid

no information available

SIGALD- 309087

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 6 of 11

# **10.5** Incompatible materials

No data available

# **10.6 Hazardous decomposition products**

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

# **11.1 Information on toxicological effects**

# Acute toxicity

LD50 Oral - Rat - male and female - 157 mg/kg (OECD Test Guideline 401) Inhalation: No data available Dermal: No data available

# Skin corrosion/irritation

Skin - In vitro study Result: non-corrosive (OECD Test Guideline 431)

# Serious eye damage/eye irritation

Eyes - In vitro study Result: slight irritation - 240 min (OECD Test Guideline 437)

# **Respiratory or skin sensitization**

Local lymph node assay (LLNA) - Mouse Result: negative (OECD Test Guideline 429)

# Germ cell mutagenicity

Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: Positive results were obtained in some in vitro tests.

# Carcinogenicity

Presumed to have carcinogenic potential for humans

# **Reproductive toxicity**

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

**Aspiration hazard** No data available

# **11.2 Additional Information**

# Endocrine disrupting properties

# Product:

Assessment

The substance/mixture does not contain components considered to have endocrine

SIGALD- 309087

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 7 of 11

disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# RTECS: EF8725000

Absorption into the body leads to the formation of methemoglobin which in sufficient concentration causes cyanosis. Onset may be delayed 2 to 4 hours or longer. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

# SECTION 12: Ecological information

# 12.1 Toxicity

No data available

Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - > 100 mg/l $$ - 48 h (OECD Test Guideline 202)
Toxicity to algae	static test ErC50 - Desmodesmus subspicatus (green algae) - > 100 mg/l - 72 h (OECD Test Guideline 201)
	static test NOEC - Desmodesmus subspicatus (green algae) - 31.6 mg/l - 72 h (OECD Test Guideline 201)

# 12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

# 12.3 Bioaccumulative potential

No data available

**12.4 Mobility in soil** No data available

# 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# **12.6 Endocrine disrupting properties**

Product: Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# 12.7 Other adverse effects

No data available

SIGALD- 309087





# **SECTION 13: Disposal considerations**

#### **13.1 Waste treatment methods** No data available

SECTION 14: Transport information				
<b>14.1 UN number</b> ADR/RID: 1484	IMDG: 1484	IATA: 1484		
IMDG: POTASSIUM BROM	I.2 UN proper shipping name ADR/RID: POTASSIUM BROMATE IMDG: POTASSIUM BROMATE IATA: Potassium bromate			
<b>14.3 Transport hazard class(es)</b> ADR/RID: 5.1	IMDG: 5.1	IATA: 5.1		
14.4 Packaging group ADR/RID: II	IMDG: II	IATA: II		
14.5 Environmental hazards ADR/RID: no	IMDG Marine pollutant: no	IATA: no		
14.6 Special precautions for use	er			

No data available

#### **SECTION 15: Regulatory information**

# **15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### Authorisations and/or restrictions on use

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

# **National legislation**

Seveso III: Directive 2012/18/EU of the European : ACUTE TOXIC Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

# : OXIDISING LIQUIDS AND SOLIDS

: Potassium bromate

#### **Other regulations**

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

# **15.2 Chemical Safety Assessment**

For this product a chemical safety assessment was not carried out

SIGALD- 309087

Page 9 of 11



# **SECTION 16: Other information**

#### Full text of H-Statements referred to under sections 2 and 3.

H271 May cause fire or explosion; strong oxidizer.

H301 Toxic if swallowed.

H350 May cause cancer.

#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer: IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. -Not Otherwise Specified: NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

SIGALD- 309087

Page 10 of 11





# Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

SIGALD- 309087

The life science business of Merck operates as MilliporeSigma in the US and Canada

P~A

Page 11 of 11