Sigma-Aldrich.

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Version 8.0 Revision Date 04.03.2024 Print Date 13.07.2024 GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

# **SECTION 1:** Identification of the substance/mixture and of the company/undertaking

1.1	Product identifiers		
	Product name	:	Potassium permanganate
	Product Number Brand Index-No. REACH No. CAS-No.	: :	223468 SIGALD 025-002-00-9 A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline. 7722-64-7
		•	
1.2	Relevant Identified us	es	of the substance or mixture and uses advised against
	Identified uses	:	Laboratory chemicals, Manufacture of substances
1.3	Details of the supplier of the safety data sheet		
	Company	:	
1.4	Emergency telephone		


Emergency Phone #	:	+(44)-870-8200418 (CHEMTREC (GB))
		+(353)-19014670 (CHEMTREC Ireland)
		001-803-017-9114 (CHEMTREC India)

### **SECTION 2: Hazards identification**

2.1	<b>Classification of the substance or</b> Oxidizing solids, (Category 2)	or mixture H272: May intensify fire; oxidizer.		
	Acute toxicity, (Category 4)	H302: Harmful if swallowed.		
	Skin corrosion, (Category 1)	H314: Causes severe skin burns and eye damage.		
	Serious eye damage, (Category 1)	H318: Causes serious eye damage.		

SIGALD- 223468

.





Page 1 of 15

Reproductive toxicity, (Category	
2)	

Specific target organ toxicity repeated exposure, (Category 2), Brain

Short-term (acute) aquatic hazard, (Category 1)

Long-term (chronic) aquatic hazard, (Category 1)

H361d: Suspected of damaging the unborn child.

H373: May cause damage to organs through prolonged or repeated exposure if inhaled.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

### 2.2 Label elements

### Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word	Danger
Hazard Statements H272 H302 H314 H361d H373	May intensify fire; oxidizer. Harmful if swallowed. Causes severe skin burns and eye damage. Suspected of damaging the unborn child. May cause damage to organs (Brain) through prolonged or repeated exposure if inhaled.
H410	Very toxic to aquatic life with long lasting effects.
Precautionary Statements P210	Keep away from heat, hot surfaces, sparks, open flames and
P260 P273 P280	other ignition sources. No smoking. Do not breathe dust. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Supplemental Hazard Statements	none

### Reduced Labeling (<= 125 ml)

Pictogram



Signal Word

Danger

SIGALD- 223468

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 2 of 15



Hazard Statements H314 H361d	Causes severe skin burns and eye damage. Suspected of damaging the unborn child.
Precautionary Statements	
P260	Do not breathe dust.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Supplemental Hazard Statements	none

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### SECTION 3: Composition/information on ingredients

### 3.1 Substances

Formula	:	KMnO <sub>4</sub>
Molecular weight	:	158.03 g/mol
CAS-No.	:	7722-64-7
EC-No.	:	231-760-3
Index-No.	:	025-002-00-9

Component		Classification	Concentration
Potassium perman	ganate		
CAS-No. EC-No. Index-No.	7722-64-7 231-760-3 025-002-00-9	Ox. Sol. 2; Acute Tox. 4; Skin Corr. 1; Eye Dam. 1; Repr. 2; STOT RE 2; Aquatic Acute 1; Aquatic Chronic 1; H272, H302, H314, H318, H361d, H373, H400, H410 M-Factor - Aquatic Acute: 10 M-Factor - Aquatic	<= 100 %

SIGALD- 223468

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 3 of 15

Chronic: 10	

For the full text of the H-Statements mentioned in this Section, see Section 16.

# SECTION 4: First aid measures

### 4.1 Description of first-aid measures

### **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

### If inhaled

After inhalation: fresh air. Call in physician.

### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

### If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

### SECTION 5: Firefighting measures

### 5.1 Extinguishing media

### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### 5.2 Special hazards arising from the substance or mixture

Potassium oxides Manganese/manganese oxides Not combustible. Has a fire-promoting effect due to release of oxygen. Ambient fire may liberate hazardous vapours.

### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

SIGALD- 223468

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 4 of 15

#### 5.4 **Further information**

Prevent fire extinguishing water from contaminating surface water or the ground water system.

### **SECTION 6: Accidental release measures**

Personal precautions, protective equipment and emergency procedures 6.1 Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 **Environmental precautions** Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

#### 6.4 **Reference to other sections**

For disposal see section 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

### Advice on safe handling

Work under hood. Do not inhale substance/mixture.

### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition.

### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed. Do not store near combustible materials.

#### Storage class

Storage class (TRGS 510): 5.1B: Oxidizing hazardous materials

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SIGALD- 223468

Page 5 of 15

The life science business of Merck operates as MilliporeSigma in the US and Canada



### SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Ingredients with workplace control parameters

### 8.2 Exposure controls

### Personal protective equipment

### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

### **Skin protection**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

### **Body Protection**

protective clothing

### **Respiratory protection**

required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Recommended Filter type: Filter type P3

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

### **Control of environmental exposure**

Do not let product enter drains.

SIGALD- 223468

The life science business of Merck operates as MilliporeSigma in the US and Canada

A

Page 6 of 15

### SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties

		······································
a)		solid
b	) Color	No data available
c)	Odor	No data available
d)	) Melting point/freezing point	No data available
e)	Initial boiling point and boiling range	No data available
f)	Flammability (solid, gas)	The product is not flammable.
g)	) Upper/lower flammability or explosive limits	No data available
h	) Flash point	Not applicable
i)	Autoignition temperature	No data available
j)	Decomposition temperature	No data available
k)	) pH	No data available
I)	Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
m	) Water solubility	No data available
n)	Partition coefficient: n-octanol/water	No data available
0)	Vapor pressure	No data available
p)	Density	2.70 g/cm3 at 20 °C
	Relative density	No data available
q)	) Relative vapor density	No data available
r)	Particle characteristics	No data available

- s) Explosive properties No data available
- t) Oxidizing properties The substance or mixture is classified as oxidizing with the category 2.
- 9.2 Other safety information No data available

SIGALD- 223468

The life science business of Merck operates as MilliporeSigma in the US and Canada

#### Page 7 of 15



### **SECTION 10: Stability and reactivity**

### **10.1 Reactivity**

No data available

#### **10.2** Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### **10.3** Possibility of hazardous reactions

Risk of explosion with: powdered aluminium Ammonia ammonium compounds arsenic Dimethylformamide acetic acid Acetic anhydride formaldehyde oxidisable substances Nitro compounds phosphorus pyridine strong reducing agents hydrochloric acid sulfur Titanium sugars ammonium nitrate sulfuric acid **Combustible Liquids Organic Substances** mineral acids anhydrides mineral wool Alcohols with sulfuric acid alkali salts with sulfuric acid Risk of ignition or formation of inflammable gases or vapours with: Acetaldehyde Alcohols antimony Aldehydes silanes dimethyl sulfoxide Ethylene glycol ethanol Hydrogen fluoride organic solvent glycerol

SIGALD- 223468

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 8 of 15



hydroxylamine **Organic Substances** oxalic acid sulfuric acid hydrogen sulphide hydrogen peroxide triethanolamine Esters glycerol with sulfuric acid sulfuric acid with Organic Substances Exothermic reaction with: Reducing agents Nitric acid carbides Generates dangerous gases or fumes in contact with: Hydrogen chloride gas

### **10.4** Conditions to avoid

no information available

- **10.5 Incompatible materials** No data available
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

### SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

### Acute toxicity

LD50 Oral - Rat - 750 mg/kg Remarks: (RTECS) Inhalation: No data available LD50 Dermal - Rat - male and female - > 2,000 mg/kg (OECD Test Guideline 402)

#### Skin corrosion/irritation

Skin - Rabbit Result: Corrosive after 4 hours or less of exposure (OECD Test Guideline 404)

**Serious eye damage/eye irritation** Remarks: Causes serious eye damage.

#### **Respiratory or skin sensitization** Maximization Test - Guinea pig

SIGALD- 223468

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 9 of 15



Result: negative (OECD Test Guideline 406)

### Germ cell mutagenicity

Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: Mouse lymphoma test Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative

Test Type: In vivo micronucleus test Species: Rat Cell type: Bone marrow Application Route: Oral Method: OECD Test Guideline 474 Result: negative

#### **Carcinogenicity** No data available

No data available

### **Reproductive toxicity**

Suspected of damaging the unborn child.

# Specific target organ toxicity - single exposure

No data available

### Specific target organ toxicity - repeated exposure

Inhalation - May cause damage to organs through prolonged or repeated exposure. - Brain

#### **Aspiration hazard** No data available

### **11.2 Additional Information**

### **Endocrine disrupting properties**

### Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### RTECS: SD6475000

Contact with skin can cause:, Edema, Necrosis, Effects due to ingestion may include:, methemoglobinema, psychological disturbances, Vomiting, Nausea, Diarrhea To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SIGALD- 223468

Page 10 of 15

The life science business of Merck operates as MilliporeSigma in the US and Canada



### SECTION 12: Ecological information

### **12.1 Toxicity**

Toxicity to fish	semi-static test LC50 - Poecilia reticulata (guppy) - 0.47 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	semi-static test EC50 - Daphnia magna (Water flea) - 0.06 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	static test ErC50 - Desmodesmus subspicatus (green algae) - 0.8 mg/l - 72 h (OECD Test Guideline 201)
	static test NOEC - Desmodesmus subspicatus (green algae) - 0.32 mg/l - 72 h (OECD Test Guideline 201)
Toxicity to bacteria	static test EC50 - activated sludge - 164 mg/l - 180 min (OECD Test Guideline 209)

### 12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

- **12.3 Bioaccumulative potential** No data available
- 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Endocrine disrupting properties <u>Product:</u>

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

No data available

SIGALD- 223468

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 11 of 15

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

#### Product

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information				
<b>14.1 UN number</b> ADR/RID: 1490	IMDG: 1490	IATA: 1490		
<b>14.2 UN proper shipping name</b> ADR/RID: POTASSIUM PERMANGANATE IMDG: POTASSIUM PERMANGANATE IATA: Potassium permanganate				
14.3 Transport hazard class(es ADR/RID: 5.1	<b>s)</b> IMDG: 5.1	IATA: 5.1		
14.4 Packaging group ADR/RID: II	IMDG: II	IATA: II		
14.5 Environmental hazards ADR/RID: yes	IMDG Marine pollutant: yes	IATA: no		
14.6 Special precautions for user				

Further information : No data available

### **SECTION 15: Regulatory information**

# **15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

### Authorisations and/or restrictions on use

### **National legislation**

Seveso III: Directive 2012/18/EU of the	P8	OXIDISING LIQUIDS AND
European Parliament and of the Council		SOLIDS
on the control of major-accident hazards		
involving dangerous substances.		
	E1	ENVIRONMENTAL HAZARDS

- P8 OXIDISING LIQUIDS AND SOLIDS
- E1 ENVIRONMENTAL HAZARDS

SIGALD- 223468

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 12 of 15

### **Other regulations**

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

### **15.2 Chemical Safety Assessment**

For this product a chemical safety assessment was not carried out

### **SECTION 16: Other information**

### **Full text of H-Statements**

H272 H302	May intensify fire; oxidizer. Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H361d	Suspected of damaging the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

SIGALD- 223468

The life science business of Merck operates as MilliporeSigma in the US and Canada

A

Page 13 of 15

### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

SIGALD- 223468

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 14 of 15

SIGALD- 223468

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 15 of 15