www.sigmaaldrich.com

Sigma-Aldrich.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 8.2 Revision Date 23.08.2023 Print Date 23.04.2025 GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifiers Product name	:	Potassium persulfate
	Product Number Brand Index-No. REACH No. CAS-No.	:	216224 SIGALD 016-061-00-1 01-2119495676-19-XXXX 7727-21-1
1.2	Relevant identified uses of the substance or mixture and uses advised agains		
	Identified uses	:	Laboratory chemicals, Manufacture of substances
1 2	Details of the sumplie		the enfoty data cheet

Details of the supplier of the safety data sheet 1.3 Company :

1.4	Emergency telephone Emergency Phone #	:	+(44)-870-8200418 (CHEMTREC (GB)) +(353)-19014670 (CHEMTREC Ireland) 001-803-017-9114 (CHEMTREC India)
			001-603-017-9114 (CHEMIREC IIIdia)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Oxidizing solids (Category 3), H272 Acute toxicity, Oral (Category 4), H302 Skin irritation (Category 2), H315 Eye irritation (Category 2), H319 Respiratory sensitization (Category 1), H334 Skin sensitization (Category 1), H317 Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

SIGALD- 216224

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 1 of 14

Pictogram		
Signal Word	Danger	
Hazard statement(s)		
H272	May intensify fire; oxidizer.	
H302	Harmful if swallowed.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
H335	May cause respiratory irritation.	
Precautionary statement(s)		
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
P220	Keep away from clothing and other combustible materials.	
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.	
P301 + P312	IF SWALLOWED: Call a POISON CENTER/ doctor if you feel	
	unwell.	
P302 + P352	IF ON SKIN: Wash with plenty of water.	
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes.	
	Remove contact lenses, if present and easy to do. Continue	
	rinsing.	
Supplemental Hazard	none	
Statements		
Reduced Labeling (<= 125 ml)		
Pictogram		

	* * * *
Signal Word	Danger
Hazard statement(s) H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H317	May cause an allergic skin reaction.
Precautionary statement(s) P302 + P352	IF ON SKIN: Wash with plenty of water.
Supplemental Hazard Statements	none

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

SIGALD- 216224

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 2 of 14



The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms	: Potassium peroxodis	sulfate
Formula Molecular weight CAS-No. EC-No. Index-No.	: K ₂ S ₂ O ₈ : 270.32 g/mol : 7727-21-1 : 231-781-8 : 016-061-00-1	
Component		Classification

component		Clussification	concentration		
Potassium persulfate					
CAS-No. EC-No. Index-No.	7727-21-1 231-781-8 016-061-00-1	Ox. Sol. 3; Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2; Resp. Sens. 1; Skin Sens. 1; STOT SE 3; H272, H302, H315, H319, H334, H317, H335	<= 100 %		

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

SIGALD- 216224

Page 3 of 14

The life science business of Merck operates as MilliporeSigma in the US and Canada



Concentration

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Sulfur oxides Potassium oxides Container explosion may occur under fire conditions. Not combustible. Has a fire-promoting effect due to release of oxygen. Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

SIGALD- 216224

Page 4 of 14

The life science business of Merck operates as MilliporeSigma in the US and Canada



For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Keep locked up or in an area accessible only to qualified or authorized persons. Do not store near combustible materials.

Moisture sensitive.

Storage class

Storage class (TRGS 510): 5.1B: Oxidizing hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

SIGALD- 216224

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 5 of 14



This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm

Break through time: 480 min Material tested:KCL 741 Dermatril® L

Body Protection

protective clothing

Respiratory protection

required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Recommended Filter type: Filter type P2

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Physical state	powder
b)	Color	white
c)	Odor	odorless
d)	Melting point/freezing point	Melting point: 100 °C
e)	Initial boiling point and boiling range	No data available
f)	Flammability (solid, gas)	The product is not flammable Flammability (solids)
g)	Upper/lower flammability or explosive limits	No data available
h)	Flash point	Not applicable
i)	Autoignition temperature	> 600 °C - DIN 51794does not ignite
j)	Decomposition	170 °C

SIGALD- 216224

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 6 of 14



temperature

k)	рН	2.5 - 4.5 at 27 g/l at 25 °C
I)	Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
m)	Water solubility	52.77 g/l at 20 °C - Regulation (EC) No. 440/2008, Annex, A.6- soluble
n)	Partition coefficient: n-octanol/water	- Not applicable for inorganic substances
o)	Vapor pressure	< 0.1 hPa at 25 °C - OECD Test Guideline 104
p)	Density	2.477 g/cm3
	Relative density	1.39 at 20 °C - Regulation (EC) No. 440/2008, Annex, A.3
q)	Relative vapor density	9.33 - (Air = 1.0)
r)	Particle characteristics	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	The substance or mixture is classified as oxidizing with the

category 3.

9.2 Other safety information

Relative vapor 9.33 - (Air = 1.0) density

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Risk of ignition or formation of inflammable gases or vapours with: Exothermic reaction with: Reducing agents combustible substances Sodium hydroxide Potassium hydroxide alkali hydroxides Water

10.4 Conditions to avoid

Exposure to moisture. Heat. no information available

SIGALD- 216224

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 7 of 14



10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - female - 700 mg/kg (OECD Test Guideline 401) Remarks: (in analogy to similar compounds) The value is given in analogy to the following substances: Ammonium peroxodisulphate LC50 Inhalation - Rat - male and female - 4 h - >= 2.95 mg/l - dust/mist

(US-EPA)

Remarks: (in analogy to similar products) The value is given in analogy to the following substances: Ammonium peroxodisulphate Inhalation: Irritating to respiratory system. LD50 Dermal - Rat - male and female - > 2,000 mg/kg (US-EPA) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: Ammonium peroxodisulphate

Skin corrosion/irritation

Remarks: Causes skin irritation. (Regulation (EC) No 1272/2008, Annex VI)

Serious eye damage/eye irritation

Eyes - Rabbit Result: Causes serious eye irritation. (OECD Test Guideline 405) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: Ammonium peroxodisulphate Remarks: (Regulation (EC) No 1272/2008, Annex VI)

Respiratory or skin sensitization

Freund's complete adjuvant test - Guinea pig Result: positive (OECD Test Guideline 406) Remarks: (Regulation (EC) No 1272/2008, Annex VI)

Germ cell mutagenicity

Test Type: Ames test Test system: S. typhimurium Metabolic activation: with and without metabolic activation Result: negative Remarks: (in analogy to similar products) (ECHA) The value is given in analogy to the following substances: disodium peroxodisulphateTest Type: unscheduled DNA synthesis assay Test system: rat hepatocytes

SIGALD- 216224

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 8 of 14

Method: US-EPA Result: negative Remarks: (in analogy to similar products) The value is given in analogy to the following substances: disodium peroxodisulphate Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow Application Route: Intraperitoneal Method: OECD Test Guideline 474 Result: negative Remarks: (in analogy to similar products) The value is given in analogy to the following substances: disodium peroxodisulphate

Test Type: unscheduled DNA synthesis assay Species: Rat Cell type: Liver cells Application Route: Oral Method: OECD Test Guideline 486 Result: negative Remarks: (in analogy to similar products) The value is given in analogy to the following substances: disodium peroxodisulphate

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

May cause respiratory irritation. - Respiratory system Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

11.2 Additional Information

Endocrine disrupting properties

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Repeated dose toxicity - Rat - male - Oral - 90 Days - NOAEL (No observed adverse effect level) - 91 mg/kg - LOAEL (Lowest observed adverse effect level) - 200 mg/kg Remarks: (in analogy to similar products)

RTECS: SE0400000

SIGALD- 216224

Page 9 of 14

The life science business of Merck operates as MilliporeSigma in the US and Canada



To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

· · · · · · · · · · · · · · · · · · ·	
Toxicity to fish	static test LC50 - Oncorhynchus mykiss (rainbow trout) - 76.3 mg/l - 96 h Remarks: (in analogy to similar products) (ECHA) The value is given in analogy to the following substances: Ammonium peroxodisulphate
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 120 mg/l - 48 h Remarks: (in analogy to similar products) (ECHA) The value is given in analogy to the following substances: Ammonium peroxodisulphate
Toxicity to algae	static test ErC50 - Phaeodactylum tricornutum - 320 mg/l - 72 h (OECD Test Guideline 201) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: Ammonium peroxodisulphate
Toxicity to bacteria	static test EC50 - Pseudomonas putida - 36 mg/l - 18 h Remarks: (in analogy to similar products) (ECHA) The value is given in analogy to the following substances: Ammonium peroxodisulphate

12.2 Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission

SIGALD- 216224

Page 10 of 14

The life science business of Merck operates as MilliporeSigma in the US and Canada



12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information				
14.1 UN number ADR/RID: 1492	IMDG: 1492	IATA: 1492		
14.2 UN proper shipping name ADR/RID:POTASSIUM PERSULPHATEIMDG:POTASSIUM PERSULPHATEIATA:Potassium persulphate				
14.3 Transport hazard class(es ADR/RID: 5.1	i) IMDG: 5.1	IATA: 5.1		
14.4 Packaging group ADR/RID: III	IMDG: III	IATA: III		
14.5 Environmental hazards ADR/RID: no	IMDG Marine pollutant: no	IATA: no		
14.6 Special precautions for user				

Further information : No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Authorisations and/or restrictions on use

National legislation

Seveso III: Directive 2012/18/EU of the P8 European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. OXIDISING LIQUIDS AND SOLIDS

SIGALD- 216224

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 11 of 14

Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

- H272 May intensify fire; oxidizer.
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 May intensify fire; oxidizer.
- H334 Harmful if swallowed.
- H335 Causes skin irritation.

SIGALD- 216224

The life science business of Merck operates as MilliporeSigma in the US and Canada

A

Page 12 of 14

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

SIGALD- 216224

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 13 of 14

SIGALD- 216224

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 14 of 14