www.sigmaaldrich.com

Sigma-Aldrich.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Version 8.2 Revision Date 12.11.2024 Print Date 13.11.2024 GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifiers Product name	:	Sodium borohydride
	Product Number Brand REACH No.	::	452882 Aldrich A registration number is not available for this substance as the substance or its uses are exempted from registration or the annual tonnage does not require a registration.
	CAS-No.	:	16940-66-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet :

Company


Emergency telephone 1.4

Emergency Phone # +(44)-870-8200418 (CHEMTREC (GB)) +(353)-19014670 (CHEMTREC Ireland) 001-803-017-9114 (CHEMTREC India)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Substances and mixtures which H260: In contact with water releases in contact with water emit flammable gases which may ignite flammable gases, (Category 1) spontaneously. Acute toxicity, (Category 3) H301: Toxic if swallowed. Skin corrosion, (Sub-category H314: Causes severe skin burns and eye 1B) damage. Serious eye damage, (Category H318: Causes serious eye damage. 1) Reproductive toxicity, (Category H360FD: May damage fertility. May damage the unborn child. 1B)

Aldrich- 452882



2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal Word	Danger	
Hazard Statements H260	In contact with water releases flammable gases which may ignite spontaneously.	
H301 H314 H360FD	Toxic if swallowed. Causes severe skin burns and eye damage. May damage fertility. May damage the unborn child.	
Precautionary Statements P231 + P232	Handle and store contents under inert gas. Protect from moisture.	
P260	Do not breathe dust.	
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.	
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.	
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.	
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	

Supplemental Hazard information (EU) EUH014 Reacts violently with water.

Reduced Labeling (<= 125 ml)

Pictogram

Signal Word



Danger

<u> </u>	
Hazard Statements H301 H314 H360FD	Toxic if swallowed. Causes severe skin burns and eye damage. May damage fertility. May damage the unborn child.
Precautionary Statements	
P260	Do not breathe dust.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Supplemental Hazard information (EU) EUH014 Reacts violently with water.

Aldrich- 452882

Page 2 of 13



2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms

:	Sodium tetrahydridoborate
	VenPure®

Formula Molecular weight CAS-No. EC-No.	:	H ₄ BNa 37.83 g/mol 16940-66-2 241-004-4
EC-No.	:	241-004-4

Component		Classification	Concentration
sodium borohydri	ide		
CAS-No. EC-No.	16940-66-2 241-004-4	Water-react 1; Acute Tox. 3; Skin Corr. 1B; Eye Dam. 1; Repr. 1B; H260, H301, H314, H318, H360FD Concentration limits: >= 3.4 %: Repr. 1B, H360F;	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.


In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

Aldrich- 452882



If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Indication of any immediate medical attention and special treatment needed 4.3 No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Sand Dry powder Cement

Unsuitable extinguishing media Water Carbon dioxide (CO2) Foam

Special hazards arising from the substance or mixture 5.2

Borane/boron oxides Sodium oxides Not combustible. May not get in touch with: Water Ambient fire may liberate hazardous vapours.

5.3 **Advice for firefighters**

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 **Further information**

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

- 6.2 **Environmental precautions** Do not let product enter drains. Risk of explosion.
- 6.3 Methods and materials for containment and cleaning up Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.
- 6.4 **Reference to other sections** For disposal see section 13.

Aldrich- 452882

Page 4 of 13



SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Keep workplace dry. Do not allow product to come into contact with water.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

Never allow product to get in contact with water during storage.

Air and moisture sensitive. Store under inert gas.

Storage class

Storage class (TRGS 510): 4.3: Hazardous materials, which set free flammable gases upon contact with water

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other

Aldrich- 452882

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 5 of 13

substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

Body Protection

protective clothing

Respiratory protection

required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Recommended Filter type: Filter type P3

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.


Control of environmental exposure

Do not let product enter drains. Risk of explosion.

SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties

TIII	information on basic physical and chemical properties			
a)	Physical state	solid		
b)	Color	white		
c)	Odor	odorless		
d)	Melting point/freezing point	Melting point/ range: > 300 °C - dec.		
e)	Initial boiling point and boiling range	> 400 °C at ca.1,013 hPa - OECD Test Guideline 103		
f)	Flammability (solid, gas)	No data available		
g)	Upper/lower flammability or explosive limits	Lower explosion limit: 3.02 %(V)		
h)	Flash point	Not applicable		
i)	Autoignition temperature	> 400 °C at 1,013 hPa - Relative self-ignition temperature for solids		
j)	Decomposition temperature	No data available		
k)	рН	No data available		
I)	Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available		
m)	Water solubility	Decomposes in contact with water., Risk of violent reaction.		

Aldrich- 452882



n)	Partition coefficient: n-octanol/water	- Not applicable for inorganic substances
o)	Vapor pressure	< 1 hPa at ca.25 °C - OECD Test Guideline 104
、		

- p) Density1.07 g/cm3 at 20 °CRelative densityNo data available
- q) Relative vapor No data available density
- r) Particle No data available characteristics
- s) Explosive properties Not classified as explosive.
- t) Oxidizing properties none

9.2 Other safety information

Relative vapor 1.3 density

SECTION 10: Stability and reactivity

10.1 Reactivity

Reacts violently with water.

10.2 Chemical stability

sensitive to moisture

10.3 Possibility of hazardous reactions

Risk of explosion with: Water Alcohols (generation of hydrogen) Copper Nickel in finely distributed form. aluminium chloride metallic salts phenol Strong oxidizing agents polymerisable substances hydrogen peroxide Powdered metals acids Risk of ignition or formation of inflammable gases or vapours with: carbon/soot Exothermic reaction with: phosphoric acid conc. sulfuric acid Dimethylformamide

10.4 Conditions to avoid

Moisture.

Aldrich- 452882

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 7 of 13



10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Acute toxicity estimate Oral - 162 mg/kg (Calculation method) LD50 Oral - Rat - female - 56.57 mg/kg (OECD Test Guideline 425) Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach. Acute toxicity estimate Oral - 56.57 mg/kg (ATE value derived from LD50/LC50 value) LC50 Inhalation - Rat - male - 4 h - > 1.3 mg/l - dust/mist

Remarks: (highest concentration to be prepared) (ECHA) Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract Acute toxicity estimate Dermal - 230 mg/kg (Calculation method) LD50 Dermal - Rabbit - male - 4,000 - 8,000 mg/kg Remarks: (ECHA)

Skin corrosion/irritation

Skin - Rabbit Result: Corrosive - 4 h (OECD Test Guideline 404) Remarks: (ECHA)

Serious eye damage/eye irritation

Eyes - Rabbit Result: Causes serious eye damage. - 24 h Remarks: (ECHA) Remarks: Causes serious eye damage. Risk of corneal clouding.

Respiratory or skin sensitization

- Guinea pig Result: negative Remarks: (ECHA)

Germ cell mutagenicity

Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Remarks: The value is given in analogy to the following substances: boric acidTest Type: sister chromatid exchange assay Test system: Chinese hamster ovary cells

Aldrich- 452882





Metabolic activation: with and without metabolic activation Result: negative Remarks: (ECHA) The value is given in analogy to the following substances: boric acidTest Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative Remarks: The value is given in analogy to the following substances: boric acid Test Type: Micronucleus test Species: Mouse

Application Route: Oral Method: OECD Test Guideline 474 Result: negative Remarks: The value is given in analogy to the following substances: boric acid

Carcinogenicity

No data available

Reproductive toxicity

May damage the unborn child. May damage fertility.

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

11.2 Additional Information

Endocrine disrupting properties

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

RTECS: ED3325000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Decomposition of the substance with tissue moisture.

After absorption:

CNS disorders Headache

Aldrich- 452882

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 9 of 13



The following applies to boron compounds in general: resorption is followed by nausea and vomiting, agitation, spasms, CNS disorders, cardiovascular disorders.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	flow-through test LC50 - Limanda limanda - 74 mg/l - 96 h Remarks: (ECHA) The value is given in analogy to the following substances: disodium tetraborate
Toxicity to daphnia	static test LC50 - Daphnia magna (Water flea) - 133 mg/l - 48 h
and other aquatic	Remarks: (FCHA)

and other aquaticRemarks: (ECHA)invertebratesThe value is given in analogy to the following substances: boric acid

12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties <u>Product:</u>

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Forms toxic mixtures in water, dilution measures notwithstanding. Discharge into the environment must be avoided.

Aldrich- 452882



SECTION 13: Disposal considerations

13.1 Waste treatment methods No data available

SECT	SECTION 14: Transport information				
14.1	UN number ADR/RID: 1426	IMDG: 1426	IATA: 1426		
14.2	UN proper shipping name ADR/RID: SODIUM BOROHY IMDG: SODIUM BOROHY IATA: Sodium borohydri Passenger Aircraft: Not perm	DRIDE de			
14.3	Transport hazard class(es ADR/RID: 4.3) IMDG: 4.3	IATA: 4.3		
14.4	Packaging group ADR/RID: I	IMDG: I	IATA: I		
14.5	Environmental hazards ADR/RID: no	IMDG Marine pollutant: no	IATA: no		
14.6	Special precautions for use	er			
	Further information :	No data available			

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

National legislation

Seveso III: Directive 2012/18/EU of the	H2	ACUTE TOXIC
European Parliament and of the Council		
on the control of major-accident hazards		
involving dangerous substances.		
	01	OTHER HAZARDS
	02	OTHER HAZARDS
	02	UTHER HAZARDS

Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

Aldrich- 452882

Page 11 of 13



SECTION 16: Other information

Full text of H-Statements

H260	In contact with water releases flammable gases which may ignite spontaneously.
H301	Toxic if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H360F	May damage fertility.
EUH014	Reacts violently with water.

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Aldrich- 452882

Page 12 of 13

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Aldrich- 452882

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 13 of 13