

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 8.2 Revision Date 24.03.2025 Print Date 24.04.2025

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Selenium standard solution traceable to SRM

from NIST SeO2 in HNO3 0.5 mol/l 1000 mg/l

Se Certipur®

Product Number : 1.19796 Catalogue No. : 119796 Brand : Millipore

UFI : H945-X6NX-D99A-WXCU

REACH No. :

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Reagent for analysis

Uses advised against : This product is not intended for consumer use.

1.3 Details of the supplier of the safety data sheet

Company :

1.4 Emergency telephone

Emergency Phone # : +(44)-870-8200418 (CHEMTREC (GB))

+(353)-19014670 (CHEMTREC Ireland) 001-803-017-9114 (CHEMTREC India)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Corrosive to Metals, (Category 1) H290: May be corrosive to metals.

Skin irritation, (Category 2) H315: Causes skin irritation.

Serious eye damage, (Category H318: Causes serious eye damage.

1)

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

Millipore- 1.19796 Page 1 of 13



Signal Word Danger

Hazard Statements

H290 May be corrosive to metals.
H315 Causes skin irritation.
H318 Causes serious eye damage.

Precautionary Statements

P234 Keep only in original packaging. P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ eye protection/ face protection.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

Supplemental Hazard

Statements

none

Reduced Labeling (<= 125 ml)

Pictogram

Signal Word Danger

Hazard Statements

H318 Causes serious eye damage.

Precautionary Statements

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard

Statements

none

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Com	ponent	Classification	Concentration	

Millipore- 1.19796 Page 2 of 13



nitric acid						
CAS-No. EC-No. Index-No. Registration number	7697-37-2 231-714-2 007-030-00-3 01-2119487297-23- XXXX	Ox. Liq. 3; Met. Corr. 1; Acute Tox. 3; Skin Corr. 1A; Eye Dam. 1; H272, H290, H331, H314, H318 Concentration limits: >= 1 %: Met. Corr. 1, H290; >= 65 %: Ox. Liq. 3, H272; >= 20 %: Skin Corr. 1A, H314; 5 - < 20 %: Skin Corr. 1B, H314; >= 3 %: Eye Dam. 1, H318; 1 - < 3 %: Eye Irrit. 2, H319; 1 - < 5 %: Skin Irrit. 2, H315; Acute inhalation toxicity(vapor): 2.65 mg/l	>= 3 - < 5 %			
Selenious acid						
CAS-No. EC-No. Index-No.	7783-00-8 231-974-7 034-002-00-8 *	Acute Tox. 3; STOT RE 2; Aquatic Acute 1; Aquatic Chronic 1; H301, H331, H373, H400, H410 M-Factor - Aquatic Acute: 1 - Aquatic Chronic: 1	>= 0.1 - < 0.25 %			

^{*}A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, or the annual tonnage does not require a registration.

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

Millipore- 1.19796 Page 3 of 13

A

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NOx)

Not combustible.

Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system. Suppress (knock down) gases/vapors/mists with a water spray jet.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® H⁺, Merck Art. No. 101595). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Millipore- 1.19796 Page 4 of 13



No metal or light-weight-metal containers. Tightly closed.

Recommended storage temperature see product label.

Storage class

Storage class (TRGS 510): 8B: Non-combustible, corrosive hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

Respiratory protection

Recommended Filter type: filter E-(P2)

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

Page 5 of 13 Millipore- 1.19796



SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

a) Physical state liquid b) Color colorless c) Odor odorless

d) Melting No data available point/freezing point

e) Initial boiling point and boiling range

No data available

Flammability (solid, No data available f) gas)

g) Upper/lower flammability or explosive limits No data available

h) Flash point Not applicable No data available Autoignition temperature

Decomposition j) temperature

No data available

рΗ ca.0.5 at 20 °C k)

Viscosity Viscosity, kinematic: No data available Viscosity, dynamic: No data available

at 20 °C soluble m) Water solubility n) Partition coefficient: No data available

n-octanol/water

o) Vapor pressure

No data available

ca.1.013 g/cm3 at 20 °C p) Density

Relative density No data available q) Relative vapor No data available

density

No data available r) Particle characteristics

Explosive properties Not classified as explosive.

Oxidizing properties none

9.2 Other safety information

No data available

Page 6 of 13 Millipore- 1.19796

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

No data available

10.3 Possibility of hazardous reactions

Violent reactions possible with:

The generally known reaction partners of water.

Generates dangerous gases or fumes in contact with:

Metals

metal alloys

Release of:

nitrous gases

Hydrogen

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

Metals, metal alloysCellulose(generation of hydrogen)

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture

Acute toxicity

Acute toxicity estimate Oral - > 2,000 mg/kg

(Calculation method)

Acute toxicity estimate Inhalation - 4 h - > 20 mg/l - vapor(Calculation method)

Dermal: No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Millipore- 1.19796 Page 7 of 13

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

Endocrine disrupting properties

Product:

Assessment The substance/mixture does not contain

components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

The following applies to nitrites/nitrates in general: methaemoglobinaemia after the uptake of large quantities.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Components

nitric acid

Acute toxicity

Oral: No data available

Acute toxicity estimate Inhalation - 2.65 mg/l - vapor

(Acute toxicity estimate according to Regulation (EC) No. 1272/2008)

Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit

Result: Causes severe burns.

Remarks: (IUCLID)

Remarks: Causes poorly healing wounds.

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes burns. Remarks: (IUCLID)

Remarks: Causes serious eye damage.

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative

Carcinogenicity

No data available

Reproductive toxicity

No data available

Millipore- 1.19796 Page 8 of 13

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Selenious acid

Acute toxicity

Acute toxicity estimate Oral - 100.1 mg/kg (Expert judgment)

LC50 Inhalation - 4 h - 0.51 mg/l - dust/mist

Acute toxicity estimate Inhalation - 0.51 mg/l - dust/mist

(ATE value derived from LD50/LC50 value)

Dermal: No data available

LD50 Intravenous - Mouse - 11 mg/kg

Skin corrosion/irritation

Remarks: No data available

Serious eye damage/eye irritation

Remarks: No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

No data available

SECTION 12: Ecological information

12.1 Toxicity

Mixture

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

Millipore- 1.19796 Page 9 of 13

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components

> considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Depending on the concentration, phosphorus and/or nitrogen compounds may contribute to the eutrophication of drinking- water supplies.

Discharge into the environment must be avoided.

No data available

Components

nitric acid

No data available

Selenious acid

flow-through test LC50 - Pimephales promelas (fathead Toxicity to fish

minnow) - 2.06 mg/l - 96 h

Toxicity to daphnia

and other aquatic

invertebrates

h (OECD Test Guideline 202)

Toxicity to algae static test NOEC - Raphidocelis subcapitata (freshwater green

> alga) - 4.75 mg/l - 72 h (OECD Test Guideline 201)

static test EC50 - Raphidocelis subcapitata (freshwater green

semi-static test NOEC - Daphnia magna (Water flea) - 0.07

static test EC50 - Daphnia magna (Water flea) - 0.55 mg/l - 48

alga) - 15.57 mg/l - 72 h (OECD Test Guideline 201)

flow-through test NOEC - Pimephales promelas (fathead Toxicity to

minnow) - 0.83 mg/l - 28 d fish(Chronic toxicity)

(OECD Test Guideline 210)

Toxicity to daphnia and other aquatic

mg/l - 28 d

invertebrates(Chronic (OECD Test Guideline 211)

toxicity)

NOEC - Daphnia magna (Water flea) - 0.19 mg/l - 28 d

(OECD Test Guideline 211)

Page 10 of 13 Millipore- 1.19796

SECTION 13: Disposal considerations

13.1 Waste treatment methods

No data available

SECTION 14: Transport information

14.1 UN number

ADR/RID: 3264 IMDG: 3264 IATA: 3264

14.2 UN proper shipping name

ADR/RID: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid) IMDG: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid) IATA: Corrosive liquid, acidic, inorganic, n.o.s. (nitric acid, 3%)

14.3 Transport hazard class(es)

ADR/RID: 8 IMDG: 8 IATA: 8

14.4 Packaging group

ADR/RID: III IMDG: III IATA: III

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

Further information : No data available

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Authorisations and/or restrictions on use

Regulation (EU) 2019/1148 on the marketing : nitric acid and use of explosives precursors

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements

H272 May intensify fire; oxidizer. H290 May be corrosive to metals.

H301 Toxic if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

Millipore- 1.19796 Page 11 of 13



H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
EUH071	Corrosive to the respiratory tract.

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. -Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Classification of th	e mixture	Classification procedure:
Met. Corr.1	H290	Based on product data or assessment
Skin Irrit.2	H315	Calculation method
Eye Dam.1	H318	Calculation method

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Millipore- 1.19796 Page 12 of 13



Millipore- 1.19796 Page 13 of 13

The life science business of Merck operates as MilliporeSigma in the US and Canada

